



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

13-Aug-24

Volume 107, No. 9

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | |
|--|-------------------------------------|-------------------------------------|-------------------------------------|---|-------------------|--|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | | |
| | ICE Futures | Staple 34 | Staple 35 | Today | Season | |
| | <i>Points</i> | <i>Cents per pound</i> | | <i>Bales</i> | <i>Bales</i> | |
| Southeast | -300 Oct-24 | 64.10 | 67.35 | 0 | 1,234 | |
| North Delta | -450 Oct-24 | 62.60 | 64.60 | 0 | 592 | |
| South Delta | -450 Oct-24 | 62.60 | 64.60 | 0 | 185 | |
| East TX-South TX | -700 Oct-24 | 60.10 | 63.60 | 1,748 | 3,840 | |
| West TX-KS-OK | -825 Oct-24 | 58.85 | 62.35 | 0 | 465 | |
| Desert SW | -950 Oct-24 | 57.60 | 60.85 | 0 | 0 | |
| SJ Valley | -925 Oct-24 | 57.85 | 66.75 | 0 | 0 | |
| Average | -657 Oct-24 | 60.53 | 64.30 | Upland Total | | |
| Previous day | -657 Oct-24 | 61.72 | 65.49 | 1,748 | 6,316 | |
| AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | |
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | | |
| American Pima | 143.00 | 124.50 | 132.25 | 0 | 960 | |

| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Aug 09 - Aug 15 ADJ. WORLD PRICE 55.19 | |
|---|------------------------|----------|---------|--|-------|--|------|
| Month | <i>Cents per pound</i> | | | | | CC ADJUSTMENT 0.00 | |
| | Today | Previous | Change | | | FC ADJUSTMENT | |
| Oct-24 | 67.10 | 68.29 | ↓ -1.19 | Season high | | 2023 | 2024 |
| Dec-24 | 67.99 | 69.07 | ↓ -1.08 | 8/12/2024 | 61.72 | 0.36 | 0.00 |
| Mar-25 | 69.57 | 70.50 | ↓ -0.93 | | | LOAN DEFICIENCY PMT. 0.00 | |
| May-25 | 70.91 | 71.72 | ↓ -0.81 | | | PIMA COMPETITIVENESS PAYMENT 0.00 | |
| Jul-25 | 71.83 | 72.50 | ↓ -0.67 | Season low | | | |
| Oct-25 | 71.26 | 71.67 | ↓ -0.41 | | | | |
| Dec-25 | 70.41 | 70.82 | ↓ -0.41 | | | | |
| Mar-26 | 71.72 | 72.13 | ↓ -0.41 | 8/6/2024 | 58.84 | | |
| May-26 | 72.50 | 72.91 | ↓ -0.41 | | | | |
| Jul-26 | 73.15 | 73.56 | ↓ -0.41 | | | | |

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous Matter | Uniformity |
|------------------|-------|-------------------|------|----------|-------------------|------------|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-South TX | | | | | | |
| West TX-OK-KS | | | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -50 | 150 | 350 | 425 | 475 | 500 | 25-26 | -1075 |
| | 3 | -225 | -50 | 150 | 325 | 400 | 450 | 475 | 27-29 | -675 |
| | 4 | -225 | -125 | 75 | 275 | 325 | 350 | 350 | 30-32 | -525 |
| | 5 | -475 | -325 | -225 | -75 | -25 | -25 | -25 | 33-34 | -400 |
| | 6 | -600 | -450 | -400 | -325 | -300 | -300 | -300 | Base 35-36 | 0 |
| 31 | 7 | -725 | -575 | -550 | -450 | -425 | -425 | -425 | 37-42 | 0 |
| | 1 & 2 | -225 | -100 | 75 | 325 | 400 | 425 | 450 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 75 | 325 | 375 | 400 | 425 | 50-52 | -200 |
| | 4 | -225 | -125 | 75 | 275 | 300 | 325 | 325 | 53 & Above | -375 |
| | 5 | -475 | -325 | -225 | -75 | -50 | -50 | -50 | | |
| 41 | 6 | -600 | -450 | -400 | -375 | -350 | -350 | -350 | | |
| | 7 | -725 | -575 | -550 | -500 | -475 | -475 | -475 | | |
| | 1 & 2 | -275 | -150 | 50 | 250 | 275 | 275 | 300 | Strength | |
| | 3 | -275 | -150 | 50 | 225 | 250 | 250 | 275 | (Grams per Tex) | |
| | 4 | -275 | -200 | 64.10 | 200 | 250 | 250 | 275 | Range | Diff. |
| 51 | 5 | -550 | -450 | -300 | -175 | -125 | -125 | -125 | 21.0 - 21.9 | -725 |
| | 6 | -675 | -550 | -525 | -450 | -425 | -425 | -425 | 22.0 - 22.9 | -675 |
| | 7 | -775 | -675 | -650 | -600 | -575 | -575 | -575 | 23.0 - 23.9 | -650 |
| | 1 & 2 | -475 | -350 | -225 | -175 | -150 | -150 | -150 | 24.0 - 24.9 | -625 |
| | 3 | -550 | -375 | -300 | -225 | -175 | -175 | -175 | 25.0 - 25.9 | -600 |
| 61 | 4 | -575 | -375 | -325 | -275 | -250 | -250 | -250 | 26.0 - 26.9 | -300 |
| | 5 | -775 | -650 | -550 | -500 | -475 | -475 | -475 | Base 27.0 - 28.9 | 0 |
| | 6 | -850 | -675 | -625 | -625 | -600 | -600 | -600 | 29.0 - 29.9 | 0 |
| | 7 | -925 | -800 | -775 | -775 | -750 | -750 | -750 | 30.0 - 30.9 | 25 |
| | 1-5 | -775 | -700 | -625 | -600 | -600 | -600 | -600 | 31.0 - 32.9 | 50 |
| 71 | 6 | -950 | -875 | -825 | -800 | -800 | -800 | -800 | 33.0 & Above | 50 |
| | 7 | -1075 | -950 | -900 | -875 | -875 | -875 | -875 | | |
| | 1-6 | -1075 | -1000 | -950 | -950 | -950 | -950 | -950 | | |
| 12 & 22 | 7 | -1100 | -1025 | -975 | -975 | -975 | -975 | -975 | | |
| | 1 & 2 | -275 | -100 | 50 | 200 | 250 | 250 | 275 | Extraneous Matter | |
| | 3 | -275 | -100 | 50 | 175 | 225 | 225 | 250 | Type - Level | Diff. |
| | 4 | -275 | -125 | 0 | 150 | 200 | 200 | 225 | Prep - Level 1 | -200 |
| | 5 | -525 | -425 | -300 | -100 | -75 | -75 | -75 | Prep - Level 2 | -800 |
| 32 | 6 | -650 | -525 | -525 | -450 | -425 | -425 | -425 | Other - Level 1 | -550 |
| | 7 | -750 | -650 | -650 | -600 | -575 | -575 | -575 | Other - Level 2 | -800 |
| | 1 & 2 | -325 | -175 | -25 | 0 | 50 | 50 | 50 | Plastic - Level 1 | -4000 |
| | 3 | -350 | -200 | -50 | 0 | 25 | 25 | 25 | Plastic - Level 2 | -4000 |
| | 4 | -450 | -200 | -150 | -100 | -50 | -50 | -50 | | |
| 42 | 5 | -625 | -450 | -400 | -375 | -350 | -350 | -350 | | |
| | 6 | -700 | -550 | -550 | -525 | -500 | -500 | -500 | | |
| | 7 | -800 | -675 | -675 | -650 | -625 | -625 | -625 | | |
| | 1-3 | -550 | -350 | -225 | -200 | -175 | -175 | -175 | Uniformity | |
| | 4 | -575 | -375 | -275 | -275 | -250 | -250 | -250 | Unit | Points |
| 52 | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 | 77.9 & Below | -125 |
| | 6 | -825 | -675 | -625 | -625 | -600 | -600 | -600 | 78.0 - 78.9 | -110 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 | 79.0 - 79.9 | -100 |
| | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 | Base 81.0 - 81.9 | 0 |
| 62 | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 | 82.0 - 82.9 | 0 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 | 83.0 - 83.9 | 20 |
| | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 30 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 | 85.0 - 85.9 | 40 |
| | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 | 86.0 & Above | 50 |
| 43 | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 | | |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 | | |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 | | |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 | | |
| | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 | | |
| 53 | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 | | |
| | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |
| 63 | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |

NORTH DELTA DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 250 | 425 | 500 | 500 | 25-26 | -1000 |
| | 3 | -225 | -75 | 150 | 200 | 400 | 450 | 450 | 27-29 | -650 |
| | 4 | -275 | -200 | 75 | 100 | 225 | 250 | 250 | 30-32 | -525 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 | 33-34 | -425 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | Base 35-36 | 0 |
| 31 | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | 37-42 | 25 |
| | 1 & 2 | -225 | -100 | 125 | 225 | 400 | 425 | 425 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 200 | 375 | 400 | 400 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 100 | 175 | 200 | 200 | 53 & Above | -375 |
| | 5 | -450 | -325 | -225 | -150 | -125 | -100 | -100 | | |
| 41 | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | | |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | | |
| | 1 & 2 | -350 | -250 | 50 | 100 | 250 | 250 | 275 | Strength | |
| | 3 | -350 | -250 | 25 | 50 | 200 | 225 | 250 | (Grams per Tex) | |
| | 4 | -375 | -275 | 62.60 | 0 | 150 | 175 | 175 | Range | Diff. |
| 51 | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 | 25.0 - 25.9 | -650 |
| 61 | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -950 | -925 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1000 | -975 | -825 | -775 | -775 | -775 | -775 | 30.0 - 30.9 | 25 |
| | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| 71 | 6 | -950 | -950 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 | | |
| | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| 12 & 22 | 7 | -1275 | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 | Extraneous Matter | |
| | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 | Type - Level | Diff. |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 | Prep - Level 1 | -200 |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 | Prep - Level 2 | -800 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Other - Level 1 | -375 |
| 32 | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 2 | -785 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Plastic - Level 1 | -4000 |
| | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 2 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | | |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| 42 | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | Uniformity | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | Unit | Points |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | 77.9 & Below | -90 |
| | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 | 78.0 - 78.9 | -80 |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 | 79.0 - 79.9 | -70 |
| 52 | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 80.0 - 80.9 | 0 |
| | 6 | -850 | -750 | -600 | -575 | -525 | -525 | -525 | Base 81.0 - 81.9 | 0 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 82.0 - 82.9 | 0 |
| | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 30 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 40 |
| 62 | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 | 85.0 - 85.9 | 50 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 | 86.0 & Above | 60 |
| | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | | |
| 43 | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | | |
| | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 | | |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| 53 | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| 63 | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

SOUTH DELTA DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 250 | 400 | 500 | 500 | 25-26 | -1100 |
| | 3 | -225 | -75 | 150 | 200 | 375 | 450 | 450 | 27-29 | -750 |
| | 4 | -275 | -200 | 75 | 100 | 225 | 250 | 250 | 30-32 | -525 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 | 33-34 | -425 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | Base 35-36 | 0 |
| 31 | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | 37-42 | 25 |
| | 1 & 2 | -225 | -100 | 125 | 225 | 375 | 400 | 400 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 200 | 350 | 375 | 375 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 100 | 175 | 200 | 200 | 53 & Above | -375 |
| | 5 | -550 | -425 | -225 | -150 | -125 | -100 | -100 | | |
| 41 | 6 | -600 | -575 | -450 | -400 | -400 | -400 | -400 | | |
| | 7 | -700 | -675 | -550 | -500 | -500 | -500 | -500 | | |
| | 1 & 2 | -350 | -250 | 50 | 100 | 250 | 250 | 275 | Strength | |
| | 3 | -350 | -250 | 25 | 50 | 200 | 225 | 250 | (Grams per Tex) | |
| | 4 | -375 | -275 | 62.60 | 0 | 150 | 175 | 175 | Range | Diff. |
| 51 | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 | 25.0 - 25.9 | -650 |
| 61 | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -925 | -825 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1100 | -1075 | -925 | -800 | -800 | -800 | -800 | 30.0 - 30.9 | 25 |
| | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| 71 | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1125 | -1100 | -975 | -850 | -850 | -850 | -850 | | |
| | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| 12 & 22 | 7 | -1275 | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 | Extraneous Matter | |
| | 1 & 2 | -275 | -125 | 50 | 100 | 275 | 300 | 300 | Type - Level | Diff. |
| | 3 | -275 | -125 | 25 | 50 | 225 | 275 | 275 | Prep - Level 1 | -200 |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 | Prep - Level 2 | -800 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Other - Level 1 | -375 |
| 32 | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 2 | -785 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Plastic - Level 1 | -4000 |
| | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 2 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | | |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| 42 | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | Uniformity | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | Unit | Points |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | 77.9 & Below | -90 |
| | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 | 78.0 - 78.9 | -80 |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 | 79.0 - 79.9 | -70 |
| 52 | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 80.0 - 80.9 | 0 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 | Base 81.0 - 81.9 | 0 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 82.0 - 82.9 | 0 |
| | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 30 |
| | 5 | -875 | -725 | -650 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 40 |
| 62 | 6 | -925 | -875 | -800 | -775 | -775 | -775 | -775 | 85.0 - 85.9 | 50 |
| | 7 | -1025 | -975 | -900 | -875 | -875 | -875 | -875 | 86.0 & Above | 60 |
| | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | | |
| 43 | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | | |
| | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 | | |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| 53 | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| 63 | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -500 | -450 | -275 | 75 | 475 | 600 | 725 | 750 |
| | 3 | -550 | -500 | -300 | 25 | 450 | 575 | 700 | 725 |
| | 4 | -625 | -500 | -300 | 25 | 150 | 375 | 425 | 425 |
| | 5 | -650 | -525 | -450 | -100 | 25 | 150 | 275 | 275 |
| | 6 | -750 | -600 | -575 | -300 | -275 | -150 | -50 | -50 |
| | 7 | -825 | -700 | -675 | -375 | -350 | -225 | -150 | -150 |
| 31 | 1 & 2 | -550 | -475 | -300 | 25 | 400 | 500 | 625 | 625 |
| | 3 | -575 | -500 | -325 | 0 | 350 | 450 | 575 | 575 |
| | 4 | -650 | -550 | -325 | 0 | 150 | 325 | 375 | 375 |
| | 5 | -700 | -550 | -475 | -100 | 0 | 75 | 200 | 200 |
| | 6 | -775 | -625 | -600 | -300 | -275 | -175 | -125 | -125 |
| | 7 | -850 | -725 | -700 | -375 | -350 | -250 | -225 | -225 |
| 41 | 1 & 2 | -650 | -475 | -300 | 25 | 150 | 375 | 400 | 425 |
| | 3 | -700 | -500 | -325 | 0 | 125 | 235 | 260 | 310 |
| | 4 | -725 | -575 | -450 | 60.10 | 60 | 135 | 160 | 210 |
| | 5 | -900 | -675 | -600 | -225 | -115 | 35 | 85 | 110 |
| | 6 | -975 | -775 | -725 | -375 | -350 | -250 | -250 | -250 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -350 | -350 | -350 |
| 51 | 1 & 2 | -850 | -700 | -575 | -150 | -100 | 50 | 75 | 75 |
| | 3 | -850 | -725 | -575 | -150 | -100 | 50 | 50 | 75 |
| | 4 | -900 | -750 | -600 | -225 | -175 | -50 | -50 | -25 |
| | 5 | -950 | -825 | -750 | -325 | -250 | -225 | -200 | -175 |
| | 6 | -1050 | -850 | -825 | -425 | -400 | -300 | -300 | -300 |
| | 7 | -1150 | -875 | -850 | -500 | -475 | -350 | -350 | -350 |
| 61 | 1-5 | -1025 | -875 | -800 | -375 | -350 | -225 | -225 | -225 |
| | 6 | -1175 | -975 | -925 | -550 | -500 | -375 | -375 | -375 |
| | 7 | -1275 | -1075 | -1025 | -650 | -600 | -475 | -475 | -475 |
| 71 | 1-6 | -1225 | -1125 | -1050 | -625 | -600 | -475 | -475 | -475 |
| | 7 | -1300 | -1150 | -1100 | -700 | -675 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -650 | -450 | -275 | 0 | 325 | 425 | 500 | 500 |
| | 3 | -700 | -500 | -325 | 0 | 275 | 375 | 425 | 425 |
| | 4 | -725 | -500 | -325 | -25 | 110 | 325 | 375 | 375 |
| | 5 | -800 | -675 | -600 | -225 | -115 | 150 | 275 | 275 |
| | 6 | -950 | -750 | -725 | -375 | -350 | -200 | -75 | -75 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -300 | -225 | -225 |
| 32 | 1 & 2 | -825 | -725 | -550 | -150 | 25 | 50 | 175 | 175 |
| | 3 | -850 | -725 | -575 | -175 | -75 | -25 | 100 | 100 |
| | 4 | -900 | -750 | -625 | -200 | -100 | -75 | -25 | -25 |
| | 5 | -1000 | -875 | -825 | -375 | -300 | -125 | -50 | -50 |
| | 6 | -1150 | -950 | -925 | -550 | -500 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -1050 | -650 | -600 | -525 | -475 | -475 |
| 42 | 1-3 | -900 | -800 | -700 | -225 | -125 | -100 | -50 | -50 |
| | 4 | -950 | -825 | -725 | -250 | -175 | -175 | -125 | -125 |
| | 5 | -1100 | -950 | -850 | -450 | -400 | -350 | -300 | -300 |
| | 6 | -1300 | -1025 | -950 | -600 | -550 | -550 | -475 | -475 |
| | 7 | -1425 | -1150 | -1075 | -725 | -650 | -600 | -550 | -550 |
| | 52 | 1-4 | -1150 | -950 | -850 | -525 | -525 | -450 | -400 |
| 5 | | -1225 | -1050 | -925 | -575 | -575 | -525 | -450 | -450 |
| 6 | | -1425 | -1225 | -1125 | -725 | -700 | -625 | -575 | -575 |
| 7 | | -1525 | -1350 | -1250 | -850 | -825 | -700 | -650 | -650 |
| 62 | 1-5 | -1275 | -1125 | -1100 | -650 | -625 | -550 | -500 | -500 |
| | 6 | -1475 | -1300 | -1275 | -850 | -825 | -725 | -675 | -675 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1200 | -1050 | -975 | -525 | -450 | -325 | -225 | -225 |
| | 3 | -1225 | -1075 | -1000 | -550 | -475 | -350 | -250 | -250 |
| | 4 | -1275 | -1150 | -1025 | -575 | -500 | -400 | -300 | -300 |
| | 5 | -1400 | -1250 | -1150 | -700 | -625 | -525 | -425 | -425 |
| | 6 | -1525 | -1325 | -1200 | -800 | -725 | -625 | -525 | -525 |
| | 7 | -1625 | -1425 | -1325 | -925 | -850 | -750 | -650 | -650 |
| 33 | 1 & 2 | -1275 | -1100 | -1000 | -530 | -475 | -375 | -275 | -275 |
| | 3 | -1275 | -1100 | -1000 | -555 | -500 | -400 | -275 | -275 |
| | 4 | -1350 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1275 | -1175 | -730 | -675 | -575 | -450 | -450 |
| | 6 | -1575 | -1350 | -1250 | -855 | -800 | -700 | -575 | -575 |
| | 7 | -1675 | -1475 | -1350 | -980 | -925 | -825 | -700 | -700 |
| 43 | 1-3 | -1325 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 4 | -1400 | -1250 | -1100 | -630 | -575 | -475 | -350 | -350 |
| | 5 | -1525 | -1350 | -1200 | -760 | -700 | -600 | -475 | -475 |
| | 6 | -1625 | -1425 | -1300 | -880 | -850 | -750 | -625 | -625 |
| | 7 | -1725 | -1525 | -1400 | -980 | -950 | -850 | -725 | -725 |
| 53 | 1-4 | -1450 | -1350 | -1225 | -780 | -775 | -700 | -575 | -575 |
| | 5 | -1550 | -1425 | -1325 | -855 | -850 | -775 | -650 | -650 |
| | 6 | -1650 | -1525 | -1425 | -1005 | -975 | -900 | -775 | -775 |
| | 7 | -1750 | -1625 | -1550 | -1105 | -1050 | -975 | -850 | -850 |
| 63 | 1-5 | -1650 | -1500 | -1375 | -955 | -875 | -800 | -675 | -675 |
| | 6 | -1750 | -1625 | -1475 | -1075 | -1000 | -925 | -800 | -800 |
| 34 | 1 & 2 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 3 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 4 | -1525 | -1400 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 5 | -1625 | -1500 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 44 | 1-3 | -1500 | -1375 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 4 | -1575 | -1475 | -1350 | -900 | -875 | -800 | -725 | -725 |
| | 5 | -1650 | -1550 | -1450 | -1000 | -975 | -900 | -825 | -825 |
| | 6 | -1825 | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54 | 1-4 | -1600 | -1500 | -1425 | -925 | -925 | -850 | -800 | -800 |
| | 5 | -1700 | -1600 | -1500 | -1025 | -1000 | -925 | -875 | -875 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1850 |
| 25-26 | -1850 |
| 27-29 | -1300 |
| 30-32 | -825 |
| 33-34 | -625 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -450 |
| 53 & Above | -525 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -485 |
| 20.0 - 20.9 | -485 |
| 21.0 - 21.9 | -460 |
| 22.0 - 22.9 | -460 |
| 23.0 - 23.9 | -435 |
| 24.0 - 24.9 | -435 |
| 25.0 - 25.9 | -385 |
| 26.0 - 26.9 | -360 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 5 |
| 31.0 - 32.9 | 10 |
| 33.0 & above | 25 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -10 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -300 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -475 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -950 |
| Other - Level 2 | -1000 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -575 | -425 | -225 | 225 | 475 | 775 | 900 | 950 |
| | 3 | -675 | -500 | -300 | 150 | 375 | 750 | 855 | 905 |
| | 4 | -675 | -500 | -350 | 75 | 200 | 375 | 400 | 400 |
| | 5 | -700 | -500 | -350 | 25 | 175 | 325 | 350 | 350 |
| | 6 | -775 | -575 | -475 | -175 | -150 | -100 | -100 | -100 |
| | 7 | -850 | -625 | -550 | -250 | -225 | -175 | -175 | -175 |
| 31 | 1 & 2 | -775 | -600 | -375 | 175 | 400 | 700 | 825 | 850 |
| | 3 | -850 | -650 | -425 | 125 | 350 | 700 | 800 | 825 |
| | 4 | -875 | -650 | -500 | 50 | 150 | 300 | 375 | 375 |
| | 5 | -875 | -650 | -500 | -75 | 50 | 175 | 200 | 200 |
| | 6 | -925 | -675 | -525 | -250 | -250 | -225 | -225 | -225 |
| | 7 | -1025 | -725 | -600 | -300 | -300 | -275 | -275 | -275 |
| 41 | 1 & 2 | -900 | -650 | -425 | 25 | 125 | 250 | 250 | 275 |
| | 3 | -925 | -675 | -450 | 0 | 50 | 225 | 225 | 250 |
| | 4 | -975 | -675 | -575 | 58.85 | 0 | 0 | 0 | 25 |
| | 5 | -1025 | -750 | -625 | -250 | -175 | -125 | -125 | -75 |
| | 6 | -1050 | -800 | -700 | -450 | -450 | -325 | -325 | -325 |
| | 7 | -1150 | -875 | -775 | -500 | -500 | -425 | -425 | -425 |
| 51 | 1 & 2 | -950 | -750 | -625 | -175 | -75 | -75 | -75 | -75 |
| | 3 | -1000 | -750 | -625 | -175 | -75 | -75 | -75 | -75 |
| | 4 | -1025 | -750 | -700 | -275 | -200 | -200 | -175 | -175 |
| | 5 | -1025 | -775 | -750 | -375 | -325 | -250 | -225 | -225 |
| | 6 | -1075 | -825 | -800 | -525 | -500 | -375 | -350 | -350 |
| | 7 | -1175 | -925 | -900 | -625 | -600 | -500 | -475 | -475 |
| 61 | 1-5 | -1025 | -825 | -800 | -425 | -350 | -250 | -250 | -250 |
| | 6 | -1150 | -900 | -875 | -625 | -550 | -425 | -425 | -425 |
| | 7 | -1250 | -1050 | -1000 | -700 | -625 | -525 | -525 | -525 |
| 71 | 1-6 | -1225 | -1025 | -950 | -700 | -600 | -525 | -525 | -525 |
| | 7 | -1300 | -1050 | -1000 | -725 | -675 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -775 | -575 | -325 | 100 | 250 | 375 | 475 | 500 |
| | 3 | -800 | -600 | -350 | 50 | 200 | 325 | 375 | 400 |
| | 4 | -850 | -600 | -500 | -100 | 75 | 200 | 250 | 250 |
| | 5 | -900 | -675 | -550 | -125 | 0 | 75 | 75 | 75 |
| | 6 | -925 | -725 | -625 | -350 | -350 | -250 | -200 | -200 |
| | 7 | -1050 | -825 | -725 | -425 | -425 | -325 | -275 | -275 |
| 32 | 1 & 2 | -950 | -700 | -450 | -125 | 0 | 25 | 75 | 100 |
| | 3 | -1025 | -775 | -500 | -200 | 0 | 25 | 50 | 50 |
| | 4 | -1075 | -825 | -675 | -250 | -25 | 0 | 25 | 25 |
| | 5 | -1175 | -975 | -825 | -450 | -250 | -225 | -200 | -200 |
| | 6 | -1225 | -975 | -900 | -550 | -450 | -425 | -375 | -375 |
| | 7 | -1300 | -1050 | -925 | -625 | -525 | -500 | -450 | -450 |
| 42 | 1-3 | -1050 | -800 | -675 | -300 | -200 | -125 | -75 | -75 |
| | 4 | -1125 | -900 | -700 | -350 | -225 | -150 | -100 | -75 |
| | 5 | -1225 | -1050 | -850 | -500 | -300 | -300 | -275 | -250 |
| | 6 | -1425 | -1100 | -925 | -600 | -500 | -450 | -425 | -400 |
| | 7 | -1450 | -1150 | -1000 | -675 | -550 | -500 | -475 | -475 |
| 52 | 1-4 | -1250 | -975 | -900 | -600 | -475 | -425 | -375 | -375 |
| | 5 | -1325 | -1075 | -975 | -650 | -525 | -475 | -425 | -425 |
| | 6 | -1525 | -1250 | -1150 | -775 | -675 | -625 | -575 | -575 |
| | 7 | -1600 | -1350 | -1250 | -850 | -750 | -700 | -675 | -675 |
| 62 | 1-5 | -1375 | -1150 | -1075 | -750 | -650 | -600 | -550 | -550 |
| | 6 | -1550 | -1300 | -1225 | -900 | -825 | -775 | -725 | -725 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1150 | -900 | -825 | -450 | -350 | -325 | -275 | -275 |
| | 3 | -1200 | -925 | -850 | -475 | -375 | -350 | -300 | -300 |
| | 4 | -1225 | -1000 | -925 | -525 | -425 | -400 | -350 | -350 |
| | 5 | -1325 | -1075 | -1025 | -650 | -550 | -500 | -450 | -450 |
| | 6 | -1425 | -1150 | -1100 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1500 | -1250 | -1175 | -775 | -725 | -675 | -625 | -625 |
| 33 | 1 & 2 | -1275 | -975 | -875 | -500 | -425 | -400 | -350 | -350 |
| | 3 | -1275 | -975 | -875 | -500 | -425 | -400 | -350 | -350 |
| | 4 | -1350 | -1050 | -975 | -575 | -500 | -450 | -400 | -400 |
| | 5 | -1475 | -1150 | -1075 | -725 | -625 | -550 | -500 | -500 |
| | 6 | -1525 | -1225 | -1200 | -775 | -725 | -650 | -600 | -600 |
| | 7 | -1600 | -1325 | -1250 | -900 | -825 | -750 | -700 | -700 |
| 43 | 1-3 | -1325 | -1075 | -1000 | -575 | -500 | -450 | -400 | -400 |
| | 4 | -1400 | -1150 | -1050 | -650 | -550 | -450 | -400 | -400 |
| | 5 | -1500 | -1225 | -1125 | -775 | -675 | -575 | -525 | -525 |
| | 6 | -1575 | -1300 | -1225 | -850 | -800 | -725 | -675 | -675 |
| | 7 | -1650 | -1400 | -1300 | -925 | -875 | -800 | -750 | -750 |
| 53 | 1-4 | -1500 | -1325 | -1200 | -750 | -700 | -650 | -600 | -600 |
| | 5 | -1575 | -1350 | -1250 | -850 | -800 | -750 | -700 | -700 |
| | 6 | -1700 | -1450 | -1350 | -950 | -925 | -875 | -825 | -825 |
| | 7 | -1750 | -1525 | -1450 | -1075 | -1050 | -1000 | -950 | -950 |
| 63 | 1-5 | -1725 | -1475 | -1350 | -900 | -825 | -775 | -725 | -725 |
| | 6 | -1775 | -1550 | -1400 | -1050 | -1000 | -950 | -900 | -900 |
| 34 | 1 & 2 | -1400 | -1150 | -1050 | -650 | -625 | -575 | -525 | -525 |
| | 3 | -1400 | -1150 | -1050 | -650 | -625 | -575 | -525 | -525 |
| | 4 | -1525 | -1275 | -1150 | -750 | -725 | -675 | -625 | -625 |
| | 5 | -1600 | -1350 | -1250 | -875 | -850 | -800 | -750 | -750 |
| | 6 | -1750 | -1500 | -1400 | -1075 | -1050 | -1000 | -950 | -950 |
| 44 | 1-3 | -1525 | -1275 | -1175 | -750 | -725 | -675 | -650 | -650 |
| | 4 | -1600 | -1375 | -1225 | -800 | -775 | -725 | -700 | -700 |
| | 5 | -1675 | -1425 | -1300 | -900 | -875 | -825 | -800 | -800 |
| | 6 | -1825 | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54 | 1-4 | -1625 | -1400 | -1300 | -875 | -850 | -800 | -775 | -775 |
| | 5 | -1700 | -1450 | -1325 | -975 | -975 | -925 | -900 | -900 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1825 |
| 25-26 | -1825 |
| 27-29 | -1275 |
| 30-32 | -750 |
| 33-34 | -550 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -475 |
| 53 & Above | -500 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -475 |
| 20.0 - 20.9 | -475 |
| 21.0 - 21.9 | -450 |
| 22.0 - 22.9 | -425 |
| 23.0 - 23.9 | -400 |
| 24.0 - 24.9 | -400 |
| 25.0 - 25.9 | -275 |
| 26.0 - 26.9 | -250 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 5 |
| 30.0 - 30.9 | 5 |
| 31.0 - 32.9 | 15 |
| 33.0 & above | 25 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -60 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -300 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -650 |
| Other - Level 2 | -700 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

DESERT SOUTHWEST DIFFERENCES

| Color | Leaf | Staple | | | | | | Mike | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------------------|--------------------------|--------|
| | | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. | |
| 11 & 21 | 1 & 2 | -125 | 150 | 475 | 750 | 785 | 825 | 24 & Below | -1350 | |
| | 3 | -125 | 125 | 400 | 700 | 725 | 750 | 25-26 | -1150 | |
| | 4 | -325 | 25 | 250 | 360 | 420 | 445 | 27-29 | -1050 | |
| | 5 | -400 | -200 | -25 | 75 | 160 | 160 | 30-32 | -700 | |
| | 6 | -475 | -375 | -150 | -110 | -55 | -55 | 33-34 | -500 | |
| | 7 | -675 | -400 | -225 | -165 | -125 | -125 | 35-36 | 0 | |
| | 31 | 1 & 2 | -200 | 125 | 425 | 675 | 725 | 750 | 37-42 | 25 |
| 3 | | -200 | 100 | 325 | 600 | 625 | 650 | 43-49 | 0 | |
| 4 | | -375 | 0 | 150 | 310 | 370 | 420 | 50-52 | -325 | |
| 5 | | -425 | -225 | -100 | -25 | 70 | 70 | 53 & Above | -525 | |
| 6 | | -500 | -400 | -185 | -145 | -65 | -65 | | | |
| 7 | | -700 | -425 | -275 | -220 | -140 | -140 | | | |
| 41 | | 1 & 2 | -600 | 0 | 25 | 160 | 170 | 270 | Strength | |
| | 3 | -600 | 0 | 10 | 135 | 145 | 245 | (Grams per Tex) | | |
| | 4 | -650 | 57.60 | 0 | 85 | 120 | 170 | Range | Diff. | |
| | 5 | -675 | -525 | -425 | -340 | -280 | -280 | 21.0 - 21.9 | -675 | |
| | 6 | -825 | -700 | -525 | -490 | -440 | -440 | 22.0 - 22.9 | -525 | |
| | 7 | -975 | -850 | -700 | -670 | -635 | -635 | 23.0 - 23.9 | -375 | |
| | 51 | 1 & 2 | -725 | -550 | -350 | -340 | -330 | -330 | 24.0 - 24.9 | -300 |
| 3 | | -725 | -550 | -350 | -340 | -330 | -330 | 25.0 - 25.9 | -275 | |
| 4 | | -750 | -625 | -475 | -425 | -365 | -365 | 26.0 - 26.9 | -200 | |
| 5 | | -850 | -800 | -675 | -650 | -600 | -600 | Base 27.0 - 28.9 | 0 | |
| 6 | | -1000 | -900 | -775 | -775 | -725 | -725 | 29.0 - 29.9 | 0 | |
| 7 | | -1200 | -1100 | -975 | -975 | -950 | -950 | 30.0 - 30.9 | 10 | |
| 12 & 22 | | 1 & 2 | -500 | 25 | 175 | 260 | 345 | 345 | 31.0 - 32.9 | 35 |
| | 3 | -500 | 25 | 150 | 210 | 295 | 295 | 33.0 & above | 75 | |
| | 4 | -600 | -25 | 150 | 210 | 295 | 295 | | | |
| | 5 | -625 | -450 | -150 | -150 | -75 | -75 | | | |
| | 6 | -775 | -650 | -350 | -350 | -275 | -275 | | | |
| | 7 | -950 | -825 | -600 | -600 | -525 | -525 | | | |
| | 32 | 1 & 2 | -600 | -225 | 0 | 110 | 120 | 120 | Extraneous Matter | |
| 3 | | -600 | -225 | 0 | 110 | 120 | 120 | Type - Level | Diff. | |
| 4 | | -650 | -450 | -100 | 10 | 20 | 20 | Prep - Level 1 | -50 | |
| 5 | | -700 | -700 | -450 | -450 | -450 | -450 | Prep - Level 2 | -800 | |
| 6 | | -900 | -825 | -575 | -575 | -575 | -575 | Other - Level 1 | -600 | |
| 7 | | -1050 | -1000 | -825 | -825 | -825 | -825 | Other - Level 2 | -800 | |
| 42 | | 1-3 | -700 | -525 | -250 | -175 | -175 | -175 | Plastic - Level 1 | -4000 |
| | 4 | -725 | -600 | -350 | -275 | -275 | -275 | Plastic - Level 2 | -4000 | |
| | 5 | -800 | -775 | -550 | -525 | -525 | -525 | | | |
| | 6 | -975 | -900 | -675 | -675 | -675 | -675 | | | |
| | 7 | -1175 | -1075 | -925 | -925 | -925 | -925 | | | |
| | 52 | 1-4 | -925 | -800 | -600 | -550 | -550 | -550 | Uniformity | |
| | | 5 | -975 | -875 | -700 | -700 | -700 | -700 | Unit | Points |
| 6 | | -1075 | -975 | -800 | -800 | -800 | -800 | 77.9 & Below | -100 | |
| 7 | | -1325 | -1225 | -1100 | -1075 | -1075 | -1075 | 78.0 - 78.9 | -90 | |
| 43 | 1-3 | -800 | -725 | -650 | -575 | -575 | -575 | 79.0 - 79.9 | -80 | |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 | 80.0 - 80.9 | 0 | |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 | Base 81.0 - 81.9 | 0 | |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 | 82.0 - 82.9 | 0 | |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 | 83.0 - 83.9 | 30 | |
| | 53 | 1-4 | -1050 | -950 | -875 | -875 | -875 | -875 | 84.0 - 84.9 | 40 |
| | | 5 | -1100 | -1000 | -925 | -925 | -925 | -925 | 85.0 - 85.9 | 50 |
| 6 | | -1200 | -1100 | -1025 | -1025 | -1025 | -1025 | 86.0 & Above | 60 | |
| 7 | | -1450 | -1350 | -1350 | -1350 | -1350 | -1350 | | | |

| Color | Leaf | Staple | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------------------|--------|
| | | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 | 27-29 | -1600 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 | 30-32 | -1000 |
| | 4 | 75 | 350 | 400 | 500 | 500 | 33-34 | -500 |
| | 5 | -125 | 75 | 130 | 190 | 190 | Base 35-36 | 0 |
| | 6 | -400 | -200 | -150 | -100 | -100 | 37-42 | 25 |
| | 7 | -625 | -525 | -475 | -425 | -425 | Base 43-49 | 0 |
| | | | | | | | 50-52 | -500 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 | | |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 | | |
| | 4 | 50 | 300 | 330 | 410 | 410 | | |
| | 5 | -200 | 0 | 55 | 115 | 115 | | |
| | 6 | -500 | -325 | -275 | -225 | -225 | | |
| | 7 | -675 | -575 | -525 | -475 | -475 | | |
| | | | | | | | | |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 | Strength | |
| | 3 | 50 | 250 | 330 | 340 | 340 | (Grams per Tex) | |
| | 4 | 57.85 | 200 | 280 | 290 | 290 | Range | Diff. |
| | 5 | -425 | -200 | -195 | -185 | -185 | 24.0 - 24.9 | -500 |
| | 6 | -625 | -450 | -450 | -450 | -450 | 25.0 - 25.9 | -400 |
| | 7 | -825 | -725 | -725 | -725 | -725 | 26.0 - 26.9 | -300 |
| | | | | | | | Base 27.0 - 28.9 | 0 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 | 29.0 - 29.9 | 0 |
| | 3 | -700 | -250 | -200 | -200 | -200 | 30.0 - 30.9 | 75 |
| | 4 | -750 | -300 | -275 | -275 | -275 | 31.0 - 32.9 | 125 |
| | 5 | -775 | -375 | -325 | -325 | -325 | 33.0 & Above | 250 |
| | 6 | -900 | -800 | -800 | -800 | -800 | | |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 | | |
| | | | | | | | | |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 | | |
| | 3 | 50 | 500 | 780 | 890 | 1040 | | |
| | 4 | -75 | 325 | 375 | 440 | 440 | | |
| | 5 | -250 | -50 | 0 | 50 | 50 | | |
| | 6 | -525 | -400 | -350 | -300 | -300 | | |
| | 7 | -775 | -700 | -650 | -600 | -600 | | |
| | | | | | | | | |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 | Extraneous Matter | |
| | 3 | -50 | 200 | 275 | 325 | 425 | Type - Level | Diff. |
| | 4 | -200 | 25 | 50 | 100 | 100 | Prep - Level 1 | -50 |
| | 5 | -525 | -275 | -275 | -275 | -275 | Prep - Level 2 | -800 |
| | 6 | -675 | -475 | -475 | -475 | -475 | Other - Level 1 | -350 |
| | 7 | -850 | -750 | -750 | -750 | -750 | Other - Level 2 | -925 |
| | | | | | | | Plastic - Level 1 | -4000 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 | Plastic - Level 2 | -4000 |
| | 4 | -500 | -175 | -150 | -150 | -150 | | |
| | 5 | -675 | -350 | -300 | -300 | -300 | | |
| | 6 | -800 | -775 | -775 | -775 | -775 | | |
| | 7 | -1000 | -950 | -950 | -950 | -950 | | |
| | | | | | | | | |
| | | | | | | | | |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 | Uniformity | |
| | 5 | -875 | -825 | -825 | -825 | -825 | Unit | Points |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 | 77.9 & Below | -60 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | 78.0 - 78.9 | -50 |
| | | | | | | | 79.0 - 79.9 | -40 |
| | | | | | | | 80.0 - 80.9 | 0 |
| | | | | | | | Base 81.0 - 81.9 | 0 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 | 82.0 - 82.9 | 50 |
| | 3 | -500 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 80 |
| | 4 | -600 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 90 |
| | 5 | -800 | -800 | -800 | -800 | -800 | 85.0 - 85.9 | 100 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 | 86.0 & Above | 110 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | | | | | | | | |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 | | |
| | 4 | -925 | -925 | -925 | -925 | -925 | | |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 | | |
| | | | | | | | | |
| | | | | | | | | |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple | | | |
|-------|------|--------|--------|--------|--------|
| | | 44 | 46 | 48 | 50 |
| 1 | 1 | 137.75 | 143.50 | 145.25 | 145.25 |
| | 2 | 137.50 | 143.25 | 145.00 | 145.00 |
| | 3 | 130.75 | 138.50 | 139.50 | 139.50 |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| 2 | 1 | 137.50 | 143.25 | 145.00 | 145.00 |
| | 2 | 137.25 | 143.00 | 144.75 | 144.75 |
| | 3 | 130.50 | 138.25 | 139.25 | 139.25 |
| | 4 | 120.50 | 128.75 | 129.75 | 129.75 |
| | 5 | | | | |
| | 6 | | | | |
| 3 | 1 | 129.25 | 137.00 | 138.00 | 138.00 |
| | 2 | 126.75 | 134.50 | 135.50 | 135.50 |
| | 3 | 124.50 | 132.25 | 133.25 | 133.25 |
| | 4 | 115.50 | 123.25 | 124.25 | 124.25 |
| | 5 | 99.50 | 106.75 | 107.75 | 107.75 |
| | 6 | | | | |
| 4 | 1 | 110.50 | 118.25 | 120.00 | 120.00 |
| | 2 | 110.25 | 118.00 | 119.25 | 119.25 |
| | 3 | 109.00 | 116.75 | 117.75 | 117.75 |
| | 4 | 104.00 | 111.75 | 112.75 | 112.75 |
| | 5 | 92.75 | 100.50 | 101.50 | 101.50 |
| | 6 | | | | |
| 5 | 1 | | | | |
| | 2 | 87.25 | 97.25 | 97.25 | 97.25 |
| | 3 | 87.25 | 96.75 | 97.00 | 97.00 |
| | 4 | 87.25 | 91.25 | 91.25 | 91.25 |
| | 5 | 87.00 | 91.00 | 91.00 | 91.00 |
| | 6 | | | | |
| 6 | 1 | | | | |
| | 2 | 79.50 | 82.50 | 82.50 | 82.50 |
| | 3 | 79.50 | 82.50 | 82.50 | 82.50 |
| | 4 | 79.50 | 82.50 | 82.50 | 82.50 |
| | 5 | 79.25 | 82.25 | 82.25 | 82.25 |
| | 6 | 78.75 | 81.75 | 81.75 | 81.75 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on August 8, 2024

Mike

| Range | Diff. |
|------------|-------|
| 26 & Below | -2000 |
| 27-29 | -1500 |
| 30-32 | -1000 |
| 33-34 | -500 |
| 35 & Above | 0 |

Strength

| (Grams per Tex) | |
|-----------------|-------|
| Range | Diff. |
| 34.9 & Below | -1650 |
| 35.0 – 35.9 | -1400 |
| 36.0 – 36.9 | -1150 |
| 37.0 – 37.9 | -800 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|-------------------|-------|
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -538 | -310 | -138 | 195 | 474 | 681 | 775 | 827 |
| | 3 | -613 | -335 | -154 | 159 | 420 | 649 | 728 | 774 |
| | 4 | -650 | -355 | -250 | 61 | 204 | 326 | 371 | 374 |
| | 5 | -675 | -480 | -363 | -139 | -4 | 65 | 114 | 114 |
| | 6 | -763 | -555 | -488 | -364 | -271 | -230 | -201 | -201 |
| | 7 | -838 | -650 | -604 | -471 | -396 | -352 | -329 | -329 |
| 31 | 1 & 2 | -663 | -350 | -196 | 138 | 420 | 620 | 691 | 727 |
| | 3 | -713 | -365 | -208 | 116 | 377 | 584 | 649 | 684 |
| | 4 | -763 | -395 | -304 | 46 | 175 | 274 | 322 | 329 |
| | 5 | -788 | -535 | -413 | -182 | -61 | -3 | 48 | 48 |
| | 6 | -850 | -600 | -521 | -393 | -316 | -281 | -256 | -256 |
| | 7 | -938 | -695 | -638 | -489 | -429 | -392 | -370 | -370 |
| 41 | 1 & 2 | -775 | -420 | -329 | 43 | 157 | 284 | 291 | 323 |
| | 3 | -813 | -430 | -338 | 21 | 109 | 225 | 239 | 274 |
| | 4 | -850 | -455 | -404 | 60.53 | 66 | 150 | 167 | 189 |
| | 5 | -963 | -645 | -558 | -339 | -220 | -157 | -140 | -129 |
| | 6 | -1013 | -720 | -667 | -525 | -439 | -399 | -391 | -391 |
| | 7 | -1113 | -825 | -800 | -657 | -579 | -549 | -544 | -544 |
| 51 | 1 & 2 | -900 | -655 | -538 | -354 | -204 | -170 | -165 | -165 |
| | 3 | -925 | -695 | -542 | -375 | -221 | -184 | -183 | -179 |
| | 4 | -963 | -715 | -571 | -429 | -304 | -271 | -259 | -256 |
| | 5 | -988 | -805 | -742 | -589 | -468 | -432 | -418 | -414 |
| | 6 | -1063 | -880 | -842 | -704 | -643 | -607 | -596 | -596 |
| | 7 | -1163 | -965 | -967 | -829 | -771 | -736 | -729 | -729 |
| 61 | 1-5 | -1025 | -835 | -760 | -545 | -490 | -445 | -445 | -445 |
| | 6 | -1163 | -940 | -895 | -710 | -670 | -620 | -620 | -620 |
| | 7 | -1263 | -1070 | -1015 | -820 | -760 | -715 | -715 | -715 |
| 71 | 1-6 | -1225 | -1135 | -1070 | -885 | -840 | -800 | -800 | -800 |
| | 7 | -1300 | -1170 | -1115 | -920 | -895 | -855 | -855 | -855 |
| | | | | | | | | | |
| 12 & 22 | 1 & 2 | -713 | -370 | -242 | 57 | 246 | 381 | 444 | 476 |
| | 3 | -750 | -385 | -254 | 32 | 200 | 334 | 391 | 419 |
| | 4 | -788 | -395 | -342 | -32 | 116 | 237 | 280 | 284 |
| | 5 | -850 | -615 | -525 | -279 | -116 | -50 | -7 | -7 |
| | 6 | -938 | -715 | -658 | -496 | -393 | -339 | -296 | -296 |
| | 7 | -1063 | -800 | -775 | -629 | -550 | -500 | -464 | -464 |
| 32 | 1 & 2 | -888 | -510 | -379 | -104 | 39 | 94 | 128 | 146 |
| | 3 | -938 | -530 | -396 | -129 | 11 | 66 | 96 | 110 |
| | 4 | -988 | -575 | -450 | -236 | -71 | -31 | -11 | -11 |
| | 5 | -1088 | -775 | -642 | -450 | -329 | -289 | -275 | -275 |
| | 6 | -1188 | -845 | -796 | -614 | -511 | -486 | -471 | -471 |
| | 7 | -1300 | -945 | -900 | -736 | -657 | -639 | -625 | -625 |
| 42 | 1-3 | -975 | -650 | -546 | -339 | -189 | -150 | -136 | -136 |
| | 4 | -1038 | -690 | -571 | -382 | -257 | -214 | -200 | -196 |
| | 5 | -1163 | -845 | -717 | -525 | -389 | -354 | -343 | -339 |
| | 6 | -1363 | -930 | -838 | -675 | -604 | -582 | -568 | -564 |
| | 7 | -1438 | -1005 | -958 | -807 | -732 | -714 | -704 | -704 |
| 52 | 1-4 | -1200 | -850 | -754 | -625 | -554 | -529 | -514 | -514 |
| | 5 | -1275 | -935 | -863 | -707 | -639 | -625 | -607 | -607 |
| | 6 | -1475 | -1060 | -1000 | -850 | -796 | -779 | -764 | -764 |
| | 7 | -1563 | -1160 | -1129 | -986 | -939 | -911 | -900 | -900 |
| 62 | 1-5 | -1325 | -1055 | -980 | -785 | -750 | -725 | -705 | -705 |
| | 6 | -1513 | -1215 | -1140 | -930 | -900 | -870 | -850 | -850 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1175 | -975 | -900 | -488 | -400 | -325 | -250 | -250 |
| | 3 | -1213 | -1000 | -925 | -513 | -425 | -350 | -275 | -275 |
| | 4 | -1250 | -1075 | -975 | -550 | -463 | -400 | -325 | -325 |
| | 5 | -1363 | -1163 | -1088 | -675 | -588 | -513 | -438 | -438 |
| | 6 | -1475 | -1238 | -1150 | -763 | -675 | -600 | -525 | -525 |
| | 7 | -1563 | -1338 | -1250 | -850 | -788 | -713 | -638 | -638 |
| 33 | 1 & 2 | -1275 | -1038 | -938 | -510 | -467 | -425 | -375 | -375 |
| | 3 | -1275 | -1038 | -938 | -518 | -475 | -433 | -375 | -375 |
| | 4 | -1350 | -1113 | -1013 | -593 | -550 | -500 | -442 | -442 |
| | 5 | -1488 | -1213 | -1125 | -752 | -700 | -642 | -583 | -583 |
| | 6 | -1550 | -1288 | -1225 | -902 | -867 | -808 | -750 | -750 |
| | 7 | -1638 | -1400 | -1300 | -1035 | -992 | -933 | -875 | -875 |
| 43 | 1-3 | -1325 | -990 | -842 | -651 | -607 | -571 | -546 | -546 |
| | 4 | -1400 | -1035 | -892 | -704 | -646 | -607 | -582 | -582 |
| | 5 | -1513 | -1085 | -988 | -844 | -786 | -754 | -729 | -729 |
| | 6 | -1600 | -1165 | -1075 | -940 | -914 | -889 | -864 | -864 |
| | 7 | -1688 | -1290 | -1183 | -1065 | -1039 | -1014 | -989 | -989 |
| 53 | 1-4 | -1475 | -1135 | -1029 | -830 | -792 | -771 | -742 | -742 |
| | 5 | -1563 | -1210 | -1125 | -922 | -892 | -871 | -842 | -842 |
| | 6 | -1675 | -1325 | -1213 | -1018 | -988 | -967 | -938 | -938 |
| | 7 | -1750 | -1390 | -1350 | -1147 | -1125 | -1104 | -1075 | -1075 |
| 63 | 1-5 | -1688 | -1310 | -1230 | -1006 | -965 | -940 | -905 | -905 |
| | 6 | -1763 | -1395 | -1305 | -1085 | -1050 | -1025 | -990 | -990 |
| 34 | 1 & 2 | -1400 | -1213 | -1125 | -700 | -675 | -613 | -550 | -550 |
| | 3 | -1400 | -1213 | -1125 | -700 | -675 | -613 | -550 | -550 |
| | 4 | -1525 | -1338 | -1225 | -800 | -775 | -713 | -650 | -650 |
| | 5 | -1613 | -1425 | -1338 | -925 | -900 | -838 | -775 | -775 |
| | 6 | -1775 | -1588 | -1500 | -1113 | -1088 | -1025 | -963 | -963 |
| 44 | 1-3 | -1513 | -1325 | -1238 | -800 | -775 | -713 | -663 | -663 |
| | 4 | -1588 | -1425 | -1288 | -850 | -825 | -763 | -713 | -713 |
| | 5 | -1663 | -1488 | -1375 | -950 | -925 | -863 | -813 | -813 |
| | 6 | -1825 | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54 | 1-4 | -1613 | -1450 | -1363 | -900 | -888 | -825 | -788 | -788 |
| | 5 | -1700 | -1525 | -1413 | -1000 | -988 | -925 | -888 | -888 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1675 |
| 25-26 | -1333 |
| 27-29 | -1043 |
| 30-32 | -693 |
| 33-34 | -489 |
| Base 35-36 | 0 |
| 37-42 | 18 |
| Base 43-49 | 0 |
| 50-52 | -343 |
| 53 & Above | -446 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -480 |
| 20.0 - 20.9 | -480 |
| 21.0 - 21.9 | -668 |
| 22.0 - 22.9 | -614 |
| 23.0 - 23.9 | -560 |
| 24.0 - 24.9 | -523 |
| 25.0 - 25.9 | -462 |
| 26.0 - 26.9 | -287 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 1 |
| 30.0 - 30.9 | 24 |
| 31.0 - 32.9 | 48 |
| 33.0 & Above | 75 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -92 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -61 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -186 |
| Prep - Level 2 | -714 |
| Bark - Level 1 | -413 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -550 |
| Other - Level 2 | -828 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

13-Aug-24

Volume 107, No. 9

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract. Values represent the average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/ | | | | | | |
|--|-------------|--------|------|------|------|------|
| Color | Leaf | Staple | | | | |
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -150 | 155 | 405 | 593 | 677 |
| | 3 | -170 | 120 | 350 | 563 | 636 |
| | 4 | -260 | 55 | 195 | 332 | 369 |
| | 5 | -370 | -135 | 0 | 85 | 137 |
| 21 | 1 & 2 | -150 | 155 | 405 | 593 | 677 |
| | 3 | -170 | 120 | 350 | 563 | 636 |
| | 4 | -260 | 55 | 195 | 332 | 369 |
| | 5 | -370 | -135 | 0 | 85 | 137 |
| 31 | 1 & 2 | -215 | 105 | 355 | 533 | 603 |
| | 3 | -230 | 85 | 310 | 498 | 558 |
| | 4 | -315 | 40 | 165 | 282 | 329 |
| | 5 | -420 | -170 | -55 | 10 | 64 |
| 41 | 1 & 2 | -345 | 30 | 130 | 262 | 269 |
| | 3 | -355 | 15 | 92 | 209 | 221 |
| | 4 | -430 | 0 | 52 | 124 | 141 |
| | 5 | -570 | -325 | -223 | -146 | -124 |
| 51 | 1 & 2 | -550 | -290 | -190 | -153 | -146 |
| | 3 | -555 | -310 | -205 | -163 | -161 |
| | 4 | -585 | -370 | -295 | -255 | -238 |
| | 5 | -745 | -540 | -465 | -430 | -410 |
| 12 | 1 & 2 | -265 | 45 | 210 | 315 | 372 |
| | 3 | -280 | 30 | 170 | 270 | 317 |
| 22 | 1 & 2 | -265 | 45 | 210 | 315 | 372 |
| | 3 | -280 | 30 | 170 | 270 | 317 |
| 32 | 1 & 2 | -405 | -125 | 5 | 57 | 94 |
| | 3 | -425 | -150 | -20 | 32 | 64 |
| Strength | 25.0 - 25.9 | -507 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 107, No. 9

13-Aug-24

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | |
|--|------------------------------|------------------------------|------------------------------|--|-------------------|--|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | | |
| | N.Y. Futures | Staple 34 | Staple 35 | Today | Season | |
| | <i>Points</i> | <i>Cents per pound</i> | | <i>Bales</i> | <i>Bales</i> | |
| Southeast | -300 Oct-24 | 64.10 | 67.35 | 0 | 1,234 | |
| North Delta | -450 Oct-24 | 62.60 | 64.60 | 0 | 592 | |
| South Delta | -450 Oct-24 | 62.60 | 64.60 | 0 | 185 | |
| East TX-South TX | -700 Oct-24 | 60.10 | 63.60 | 1,748 | 3,840 | |
| West TX-KS-OK | -825 Oct-24 | 58.85 | 62.35 | 0 | 465 | |
| Desert SW | -950 Oct-24 | 57.60 | 60.85 | 0 | 0 | |
| SJ Valley | -925 Oct-24 | 57.85 | 66.75 | 0 | 0 | |
| Average | -657 Oct-24 | 60.53 | 64.30 | Upland Total | | |
| Previous day | -657 Oct-24 | 61.72 | 65.49 | 1,748 | 6,316 | |
| AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | |
| American Pima | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | | |
| | 143.00 | 124.50 | 132.25 | 0 | 960 | |

| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Aug 09 - Aug 15 ADJ. WORLD PRICE | |
|---|------------------------|----------|--------|--|-------|-------------------------------------|------|
| Month | <i>Cents per pound</i> | | | | | 55.19 | |
| | Today | Previous | Change | | | CC ADJUSTMENT | |
| Oct-24 | 67.10 | 68.29 | -1.19 | Season high | | 0.00 | |
| Dec-24 | 67.99 | 69.07 | -1.08 | | | FC ADJUSTMENT | |
| Mar-25 | 69.57 | 70.50 | -0.93 | 8/12/2024 | 61.72 | 2018 | 2019 |
| May-25 | 70.91 | 71.72 | -0.81 | | | 0.36 | 0.00 |
| Jul-25 | 71.83 | 72.50 | -0.67 | Season low | | LOAN DEFICIENCY PMT. | |
| Oct-25 | 71.26 | 71.67 | -0.41 | | | 0.00 | |
| Dec-25 | 70.41 | 70.82 | -0.41 | | | Pima Competitiveness | |
| Mar-26 | 71.72 | 72.13 | -0.41 | 8/6/2024 | 58.84 | Payment | |
| May-26 | 72.50 | 72.91 | -0.41 | | | 0.00 | |
| Jul-26 | 73.15 | 73.56 | -0.41 | | | | |

| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/ | | | | | | | | |
|--|-------|------|------|------|------|----------------|------|------|
| | Color | | | | | | | |
| | 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
| Staple 33 | | | | | | | | |
| Leaf 1 & 2 | -150 | -150 | -215 | -345 | -550 | -265 | -265 | -405 |
| 3 | -170 | -170 | -230 | -355 | -555 | -280 | -280 | -425 |
| 4 | -260 | -260 | -315 | -430 | -585 | NOT TENDERABLE | | |
| 5 | -370 | -370 | -420 | -570 | -745 | NOT TENDERABLE | | |
| Staple 34 | | | | | | | | |
| Leaf 1 & 2 | 155 | 155 | 105 | 30 | -290 | 45 | 45 | -125 |
| 3 | 120 | 120 | 85 | 15 | -310 | 30 | 30 | -150 |
| 4 | 55 | 55 | 40 | 0 | -370 | NOT TENDERABLE | | |
| 5 | -135 | -135 | -170 | -325 | -540 | NOT TENDERABLE | | |
| Staple 35 | | | | | | | | |
| Leaf 1 & 2 | 405 | 405 | 355 | 130 | -190 | 210 | 210 | 5 |
| 3 | 350 | 350 | 310 | 92 | -205 | 170 | 170 | -20 |
| 4 | 195 | 195 | 165 | 52 | -295 | NOT TENDERABLE | | |
| 5 | 0 | 0 | -55 | -223 | -465 | NOT TENDERABLE | | |
| Staple 36 | | | | | | | | |
| Leaf 1 & 2 | 593 | 593 | 533 | 262 | -153 | 314.5 | 315 | 57 |
| 3 | 563 | 563 | 498 | 209 | -163 | 269.5 | 270 | 32 |
| 4 | 332 | 332 | 282 | 124 | -255 | NOT TENDERABLE | | |
| 5 | 85 | 85 | 10 | -146 | -430 | NOT TENDERABLE | | |
| Staple 37 | | | | | | | | |
| Leaf 1 & 2 | 677 | 677 | 603 | 269 | -146 | 371.5 | 372 | 94 |
| 3 | 636 | 636 | 558 | 221 | -161 | 316.5 | 317 | 64 |
| 4 | 369 | 369 | 329 | 141 | -238 | NOT TENDERABLE | | |
| 5 | 137 | 137 | 64 | -124 | -410 | NOT TENDERABLE | | |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest market MP_CN002