

AMS Cooked Diced Chicken Contractor Indicator Organism Performance - Fiscal Year: 2021<sup>1/2/</sup>

Contractor	# Sub-lots Produced (% of Total)	Standard Plate Count <sup>3/</sup>		Total Coliforms <sup>4/</sup>		Generic <i>E. coli</i> <sup>5/</sup>		<i>S. aureus</i> <sup>6/</sup>	
		# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
C1	524 (83.6)	1	0.19	0	0	0	0	0	0
C4	103 (16.4)	0	0	0	0	0	0	0	0
<b>Total</b>	<b>627 (100.0)</b>	<b>1</b>	<b>0.16</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1/</sup>A full description of the cooked diced chicken purchase program specification is available at <https://www.ams.usda.gov/selling-food/product-specs#chicken>.

<sup>2/</sup>Production Dates: October 1, 2020 to September 30, 2021.

<sup>3/</sup>Standard Plate Count Critical Limit: 1,000 CFU/g.

<sup>4/</sup>Total Coliforms Critical Limit: 50 CFU/g.

<sup>5/</sup>Generic *E. coli* Critical Limit: 10 CFU/g.

<sup>6/</sup>*S. aureus* Critical Limit: 10 CFU/g.