

# Farmgate

2008

---

## 2008 Sorghum Farmgate Assessment Data

### Contents

Summary .....	2
Data .....	4

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternate means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint, write to the USDA, Office of Civil Rights, Room 326-W, 1400 Independence Avenue, SW, Washington, DC 20250-9410, or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity employer.

**Summary**

Statistic	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ
				Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material		
						Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)				
Average	0.1	58.5	14.6	0.5	0.0	0.0	0.0	0.0	2.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0		
Minimum	0.0	44.1	9.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0		
Maximum	2.3	62.6	21.0	59.8	0.0	0.2	0.0	0.0	15.3	3.4	3.3	1.2	0.6	0.8	0.2	0.4		
Standard Deviation	0.2	2.4	1.6	3.5	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.1	0.1	0.0	0.0	0.0		

SORGHUM GRADE LIMITS							Samples	Percentage
Grade	Test Weight (lb/bu)	Damage		BNFM Total (%)	FM (%)	SBOC (%)		
		Total (%)	HT (%)					
#1	57.0	2.0	0.2	3.0	1.0	1.0	398	54.4
#2	55.0	5.0	0.5	6.0	2.0	2.0	222	30.3
#3	53.0	10.0	10.0	8.0	3.0	5.0	57	7.8
#4	51.0	15.0	15.0	10.0	4.0	10.0	21	2.9
SG	Doesn't meet definition for U.S. #1 to #4						27	3.7
NG	Sample size insufficient to determine grade						7	1.0

Data

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.		
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material	
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
AR30001	1	S	0.0	59.4	14.9	0.3	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30002	1	S	0.0	60.3	17.6	0.2	0.0	0.0	0.0	0.0	2.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30003	2	S	0.0	55.7	16.3	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30004	1	S	0.0	59.1	14.2	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30005	1	S	0.0	61.0	15.4	0.2	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30006	1	S	0.0	59.6	13.4	0.0	0.0	0.0	0.0	0.0	1.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30007	1	S	0.0	60.3	17.6	0.3	0.0	0.0	0.0	0.0	1.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR30008	1	S	0.0	59.7	13.9	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR50001	2	S	0.0	60.6	14.5	0.6	0.0	0.0	0.0	0.0	3.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR50002	1	S	0.0	57.9	15.5	0.5	0.0	0.0	0.0	0.0	2.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR60001	4	S	0.0	52.2	13.3	12.9	0.0	0.0	0.0	0.0	3.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout	
AR60002	2	S	0.1	57.9	14.8	3.0	0.0	0.0	0.0	0.0	2.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout	
AR60003	2	S	0.1	58.3	14.0	3.2	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR60004	SG	S	0.2	52.0	12.5	20.0	0.0	0.0	0.0	0.0	7.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	Musty	
AR60005	SG	S	0.2	57.6	14.1	17.9	0.0	0.0	0.0	0.0	3.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	****	OK	Badly Weathered Internal mold
AR60006	4	S	0.1	52.1	11.7	9.8	0.0	0.0	0.0	0.0	3.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	12.3 Sprout 5.6 Internal Mold	
AR60007	2	S	0.1	58.8	14.2	0.7	0.0	0.0	0.0	0.0	2.5	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout Mold	
AR60008	4	S	0.1	51.5	12.5	6.9	0.0	0.0	0.0	0.0	4.2	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout	
AR60026	SG	S	0.1	58.7	15.2	16.7	0.0	0.0	0.0	0.0	2.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout Germ Mold	
AR60028	3	S	0.1	59.5	15.8	5.5	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout Mold	
AR60029	SG	S	0.3	59.7	15.5	20.0	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	OK	Distinctly Discolored
AR60030	3	S	0.1	58.8	14.0	9.4	0.0	0.0	0.0	0.0	1.5	0.6	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	1.1	OK	Distinctly Discolored
AR60031	3	S	0.1	59.2	15.5	6.8	0.0	0.0	0.0	0.0	2.3	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	OK	Sprout Germ Mold
AR60032	SG	S	0.2	58.4	15.1	15.3	0.0	0.0	0.0	0.0	1.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
AR60033	4	S	0.2	58.4	15.6	11.1	0.0	0.0	0.0	0.0	2.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	OK	Distinctly Discolored
AR60034	4	S	0.1	58.9	15.3	10.1	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR90001	SG	S	0.1	54.5	16.1	30.3	0.0	0.0	0.0	0.0	1.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
AR90003	SG	S	0.1	54.5	16.0	59.8	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout Mold	
AR90005	SG	S	0.0	55.6	15.0	40.0	0.0	0.0	0.0	0.0	1.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Sprout Mold	
CO90001	3	S	0.3	54.6	13.3	0.0	0.0	0.0	0.0	0.0	4.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90002	2	S	0.4	58.1	13.6	0.0	0.0	0.0	0.0	0.0	5.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90003	3	S	0.8	57.6	13.7	0.0	0.0	0.0	0.0	0.0	7.0	1.2	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90007	2	WHS	0.1	56.8	11.7	0.0	0.0	0.0	0.0	0.0	3.6	0.9	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90008	2	S	0.1	55.1	11.0	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90009	2	S	0.1	55.9	11.7	0.0	0.0	0.0	0.0	0.0	2.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90010	2	S	0.3	56.7	11.7	0.0	0.0	0.0	0.0	0.0	1.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90011	2	S	0.0	55.5	11.9	0.0	0.0	0.0	0.0	0.0	1.9	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
CO90012	1	S	0.0	59.2	12.5	0.0	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
IL80001	1	S	0.3	57.6	15.0	0.0	0.0	0.0	0.0	0.0	1.9	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	OK		
IL80002	1	S	0.1	57.4	15.0	0.0	0.0	0.0	0.0	0.0	1.9	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
IL80003	1	WHS	0.0	58.9	14.4	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
IL90001	1	S	0.2	58.9	15.7	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.7	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK		
IL90002	1	S	0.0	59.5	13.4	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
IL90003	2	S	0.0	60.7	15.0	0.0	0.0	0.0	0.0	0.0	3.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
IL90004	2	S	0.1	57.8	12.4	0.0	0.0	0.0	0.0	0.0	2.3	1.3	1.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK		

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
IL90005	1	S	0.1	58.3	19.7	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.5	0.0	0.2	0.0	0.0	0.0	0.0		OK	
IL90006	2	S	0.2	59.3	16.0	0.0	0.0	0.0	0.0	0.0	5.3	0.9	0.8	0.0	0.1	0.0	0.0	0.0	0.0		OK	
IL90007	2	S	0.0	56.9	15.1	0.0	0.0	0.0	0.0	0.0	1.7	1.2	1.0	0.0	0.2	0.0	0.0	0.0	0.0		OK	
IL90008	1	S	0.1	59.8	14.9	0.0	0.0	0.0	0.0	0.0	2.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
IL90009	3	S	0.4	55.5	16.9	0.0	0.0	0.0	0.0	0.0	3.2	2.2	1.5	0.7	0.0	0.0	0.0	0.0	0.0		OK	
IL90010	1	S	0.1	60.0	19.2	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.5	0.0	0.2	0.0	0.0	0.0	0.0		OK	
KS10019	2	S	0.0	59.9	14.0	0.0	0.0	0.0	0.0	0.0	3.8	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10020	2	S	0.0	58.7	14.3	0.0	0.0	0.0	0.0	0.0	1.6	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS10021	1	S	0.0	57.8	14.8	0.0	0.0	0.0	0.0	0.0	2.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10022	2	S	0.0	58.8	15.7	0.0	0.0	0.0	0.0	0.0	2.3	1.3	1.2	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS10023	1	S	0.0	59.5	15.0	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS10024	2	S	0.1	58.7	15.8	0.0	0.0	0.0	0.0	0.0	2.1	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10025	X	S	0.0	X	14.9	0.0	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10026	2	S	0.1	59.2	14.9	0.0	0.0	0.0	0.0	0.0	3.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10027	2	S	0.0	59.6	15.1	0.0	0.0	0.0	0.0	0.0	3.7	2.0	1.2	0.8	0.0	0.0	0.0	0.0	0.0		OK	
KS10028	3	S	0.1	54.5	13.0	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10029	1	S	0.0	58.8	15.1	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10032	2	WHS	0.0	59.4	15.1	0.0	0.0	0.0	0.0	0.0	2.9	1.6	0.7	0.9	0.0	0.0	0.0	0.0	0.0		OK	
KS10033	1	S	0.0	58.9	13.8	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10034	3	S	0.0	54.8	13.6	0.0	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10035	3	S	0.0	54.7	13.7	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10037	2	WHS	0.0	56.4	14.7	0.0	0.0	0.0	0.0	0.0	2.7	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10038	2	S	0.0	56.3	15.5	0.0	0.0	0.0	0.0	0.0	3.1	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10039	2	S	0.1	58.7	15.4	0.0	0.0	0.0	0.0	0.0	4.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10040	1	S	0.0	58.2	14.8	0.0	0.0	0.0	0.0	0.0	2.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10041	2	S	0.0	57.3	14.5	0.0	0.0	0.0	0.0	0.0	1.7	1.3	1.0	0.3	0.0	0.0	0.0	0.0	0.0		OK	
KS10042	2	S	0.0	56.2	15.6	0.0	0.0	0.0	0.0	0.0	1.3	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS10043	1	S	0.0	59.1	14.9	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10044	2	S	0.1	58.4	15.5	0.0	0.0	0.0	0.0	0.0	5.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS10045	2	S	0.0	56.3	15.2	0.0	0.0	0.0	0.0	0.0	2.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20001	2	S	0.0	61.5	15.4	0.0	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20002	1	S	0.1	61.4	13.9	0.0	0.0	0.0	0.0	0.0	2.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20003	1	S	0.0	59.5	13.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20004	1	WHS	0.0	60.9	13.1	0.0	0.0	0.0	0.0	0.0	2.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20005	4	S	0.6	61.2	14.0	0.0	0.0	0.0	0.0	0.0	8.1	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0		OK	
KS20006	2	S	0.1	58.7	13.4	0.0	0.0	0.0	0.0	0.0	3.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20007	2	S	0.1	61.4	12.7	0.0	0.0	0.0	0.0	0.0	4.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20008	2	WHS	0.0	60.7	14.4	0.0	0.0	0.0	0.0	0.0	4.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20009	1	S	0.0	60.5	14.7	0.0	0.0	0.0	0.0	0.0	2.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20010	1	S	0.0	60.1	15.7	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20031	1	WHS	0.0	59.9	14.8	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20032	1	WHS	0.0	60.4	14.3	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	1.2% Sorghum
KS20033	1	S	0.0	61.2	13.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20034	3	WHS	0.1	55.6	14.8	0.0	0.0	0.0	0.0	0.0	3.5	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20035	1	S	0.0	14.3	14.3	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
KS20036	2	WHS	0.1	57.5	13.7	0.0	0.0	0.0	0.0	0.0	3.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20037	1	S	0.0	60.5	13.3	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20038	1	S	0.0	59.7	13.9	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20039	1	S	0.0	59.0	13.6	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20040	2	WHS	0.1	58.8	14.0	0.0	0.0	0.0	0.0	0.0	4.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20053	4	S	0.5	52.8	14.6	0.0	0.0	0.0	0.0	0.0	4.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20054	2	S	0.1	55.6	14.7	0.0	0.0	0.0	0.0	0.0	2.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20055	3	S	0.2	54.8	13.2	0.0	0.0	0.0	0.0	0.0	4.0	1.0	0.8	0.2	0.0	0.0	0.0	0.0	0.0		OK	
KS20056	2	S	0.1	55.2	12.7	0.0	0.0	0.0	0.0	0.0	2.7	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS20057	2	S	0.0	55.4	13.1	0.0	0.0	0.0	0.0	0.0	3.7	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS20058	3	S	0.1	54.6	12.8	0.0	0.0	0.0	0.0	0.0	2.2	1.1	0.6	0.5	0.0	0.0	0.0	0.0	0.0		OK	
KS20059	2	S	0.0	55.7	13.0	0.0	0.0	0.0	0.0	0.0	1.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20060	2	S	0.1	56.2	13.2	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20061	1	S	0.0	58.3	14.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20062	1	S	0.0	59.3	13.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20063	2	S	0.0	56.3	11.8	0.0	0.0	0.0	0.0	0.0	2.2	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20064	3	WHS	0.0	53.3	14.0	0.0	0.0	0.0	0.0	0.0	4.4	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20065	2	S	0.1	55.5	11.6	0.0	0.0	0.0	0.0	0.0	1.8	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20066	2	WHS	0.0	55.8	12.4	0.0	0.0	0.0	0.0	0.0	1.9	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20067	1	S	0.0	57.0	13.5	0.0	0.0	0.0	0.0	0.0	1.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20068	2	WHS	0.0	56.5	13.4	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20069	2	S	0.1	58.5	12.5	0.0	0.0	0.0	0.0	0.0	2.5	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS20070	2	S	0.0	56.7	11.9	0.0	0.0	0.0	0.0	0.0	2.7	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30001	1	S	0.0	60.2	13.5	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30002	3	S	0.0	54.7	13.1	0.0	0.0	0.0	0.0	0.0	2.9	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30003	2	WHS	0.2	56.5	12.7	0.0	0.0	0.0	0.0	0.0	2.7	1.9	0.9	0.8	0.0	0.0	0.0	0.0	0.0		OK	
KS30004	SG	WHS	0.0	50.5	14.7	0.0	0.0	0.0	0.0	0.0	2.8	1.8	1.7	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30005	1	S	0.5	60.3	13.8	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30006	2	S	0.1	57.5	13.7	0.0	0.0	0.0	0.0	0.0	1.9	1.1	0.7	0.1	0.3	0.0	0.0	0.0	0.0		OK	
KS30007	3	WHS	0.2	54.5	13.0	0.0	0.0	0.0	0.0	0.0	3.4	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30008	3	S	0.0	54.1	13.7	0.0	0.0	0.0	0.0	0.0	2.5	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30009	1	S	0.0	57.9	13.1	0.0	0.0	0.0	0.0	0.0	2.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30010	4	WHS	0.4	54.8	13.4	0.0	0.0	0.0	0.0	0.0	7.5	3.4	3.3	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30021	3	S	0.2	53.0	15.6	0.0	0.0	0.0	0.0	0.0	3.4	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		SOUR	
KS30022	SG	S	0.2	48.6	11.5	0.0	0.0	0.0	0.0	0.0	3.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30023	SG	S	0.5	47.6	11.1	0.0	0.0	0.0	0.0	0.0	4.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30024	SG	S	0.1	55.0	13.3	0.0	0.0	0.0	0.0	0.0	5.5	2.4	2.2	0.0	0.0	0.0	0.2	0.0	0.0		SOUR	
KS30025	4	S	1.4	51.8	12.4	0.0	0.0	0.0	0.0	0.0	8.0	1.7	1.3	0.0	0.0	0.0	0.0	0.4	0.0		OK	other fm is sunflower
KS30026	3	S	0.5	54.1	11.6	0.0	0.0	0.0	0.0	0.0	2.0	1.4	0.7	0.1	0.6	0.0	0.0	0.0	0.0		OK	
KS30027	2	S	0.1	56.3	12.3	0.0	0.0	0.0	0.0	0.0	1.5	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30028	2	S	0.1	55.4	15.1	0.0	0.0	0.0	0.0	0.0	2.6	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30029	4	S	0.5	52.3	13.3	0.0	0.0	0.0	0.0	0.0	7.0	3.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30030	4	S	0.3	52.7	13.3	0.0	0.0	0.0	0.0	0.0	4.8	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30041	2	S	0.0	56.8	13.8	0.0	0.0	0.0	0.0	0.0	1.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30044	1	S	0.0	57.6	15.1	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
KS30047	2	S	0.1	57.1	14.2	0.0	0.0	0.0	0.0	0.0	2.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30048	3	S	0.1	54.0	15.2	0.0	0.0	0.0	0.0	0.0	4.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30049	2	S	0.0	56.2	13.9	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30050	1	S	0.0	57.2	14.2	0.0	0.0	0.0	0.0	0.0	1.7	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30051	1	S	0.0	58.9	13.6	0.0	0.0	0.0	0.0	0.0	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30052	3	S	0.0	54.7	14.3	0.0	0.0	0.0	0.0	0.0	1.6	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30053	3	S	0.0	54.2	13.3	0.0	0.0	0.0	0.0	0.0	3.1	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30054	1	S	0.0	59.0	14.8	0.0	0.0	0.0	0.0	0.0	1.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30055	2	S	0.0	56.6	13.3	1.1	0.0	0.0	0.0	0.0	1.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	OK	
KS30056	SG	S	0.0	54.2	16.3	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		SOUR	
KS30057	2	S	0.0	57.1	13.4	0.0	0.0	0.0	0.0	0.0	3.9	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30059	4	WHS	0.2	60.8	14.0	0.0	0.0	0.0	0.0	0.0	8.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	1.8% Yellow
KS30060	2	S	0.1	56.8	14.5	0.0	0.0	0.0	0.0	0.0	3.0	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30061	2	S	0.0	59.2	14.6	0.0	0.0	0.0	0.0	0.0	3.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30062	1	S	0.0	61.1	13.4	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30063	1	S	0.0	57.2	14.2	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30064	1	S	0.0	60.4	14.1	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30065	2	S	0.0	55.4	14.5	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30066	1	S	0.0	58.5	13.6	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30067	1	S	0.0	60.9	14.2	0.0	0.0	0.0	0.0	0.0	2.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30068	1	S	0.0	59.1	14.6	0.0	0.0	0.0	0.0	0.0	1.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS30069	2	WHS	0.0	55.9	13.5	0.0	0.0	0.0	0.0	0.0	3.6	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30070	1	WHS	0.0	59.0	14.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30071	2	S	0.1	55.8	13.2	0.0	0.0	0.0	0.0	0.0	1.5	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30072	1	S	0.0	61.5	14.4	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30073	3	S	0.1	53.6	15.9	0.0	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30074	4	WHS	0.0	52.0	15.0	0.0	0.0	0.0	0.0	0.0	2.9	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30075	3	S	0.0	54.2	14.9	0.0	0.0	0.0	0.0	0.0	2.9	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30076	1	S	0.1	61.2	13.4	0.0	0.0	0.0	0.0	0.0	2.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30077	4	S	0.0	52.8	15.4	0.0	0.0	0.0	0.0	0.0	2.1	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS30078	1	S	0.0	61.8	14.1	0.0	0.0	0.0	0.0	0.0	2.5	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30079	2	S	0.0	55.7	13.6	0.0	0.0	0.0	0.0	0.0	1.9	1.6	1.5	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS30080	2	S	0.1	56.0	13.3	0.0	0.0	0.0	0.0	0.0	4.4	1.3	1.1	0.2	0.0	0.0	0.0	0.0	0.0		OK	
KS40001	1	S	0.0	57.8	15.9	0.0	0.0	0.0	0.0	0.0	1.8	1.0	0.9	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS40004	1	S	0.0	59.8	16.7	0.0	0.0	0.0	0.0	0.0	1.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40005	1	S	0.0	59.4	15.8	0.0	0.0	0.0	0.0	0.0	3.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40006	1	WHS	0.0	60.4	17.1	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40007	1	S	0.0	60.2	17.2	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40008	2	S	0.0	59.3	17.4	0.0	0.0	0.0	0.0	0.0	2.9	1.1	0.8	0.0	0.3	0.0	0.0	0.0	0.0		OK	
KS40009	2	WHS	0.0	56.5	17.9	0.0	0.0	0.0	0.0	0.0	1.5	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40010	1	WHS	0.0	60.2	17.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40011	1	S	0.0	60.5	13.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40012	1	S	0.0	61.2	13.0	0.0	0.0	0.0	0.0	0.0	2.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40013	2	S	0.1	60.8	13.4	0.0	0.0	0.0	0.0	0.0	4.0	0.7	0.4	0.0	0.3	0.0	0.0	0.0	0.0		OK	
KS40014	1	S	0.5	61.0	13.4	0.0	0.0	0.0	0.0	0.0	2.4	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
KS40015	1	S	0.0	61.2	13.7	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40016	1	S	0.0	60.4	14.2	0.0	0.0	0.0	0.0	0.0	1.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40017	1	S	0.0	59.8	14.7	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40018	2	S	0.5	58.2	14.7	0.0	0.0	0.0	0.0	0.0	6.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40019	1	S	0.0	59.4	14.7	0.0	0.0	0.0	0.0	0.0	1.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40020	1	S	0.0	60.2	14.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40021	1	S	0.0	60.0	14.2	0.0	0.0	0.0	0.0	0.0	2.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40022	1	S	0.0	61.1	12.7	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40023	1	S	0.0	60.6	14.6	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40024	1	S	0.0	57.5	14.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40025	1	S	0.0	57.1	14.4	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40026	2	WHS	0.0	57.8	13.5	0.0	0.0	0.0	0.0	0.0	5.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40027	2	S	0.0	55.9	14.3	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40028	3	S	0.1	57.1	14.1	0.0	0.0	0.0	0.0	0.0	7.9	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40029	1	S	0.0	59.8	15.6	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40030	1	S	0.0	57.6	14.3	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40031	1	S	0.1	60.5	14.5	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40032	1	WHS	0.0	61.6	16.4	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40033	1	WHS	0.0	61.3	14.7	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40034	2	S	0.1	60.0	15.5	0.0	0.0	0.0	0.0	0.0	3.3	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS40035	1	WHS	0.0	61.4	16.1	0.0	0.0	0.0	0.0	0.0	1.7	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS40036	1	S	0.0	60.5	14.5	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40037	1	S	0.0	60.7	14.3	0.0	0.0	0.0	0.0	0.0	2.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40038	2	WHS	0.2	60.8	14.1	0.0	0.0	0.0	0.0	0.0	3.3	0.7	0.4	0.0	0.3	0.0	0.0	0.0	0.0		OK	
KS40039	2	S	0.0	57.9	15.2	0.0	0.0	0.0	0.0	0.0	1.8	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40040	2	S	0.0	56.8	15.3	0.0	0.0	0.0	0.0	0.0	1.3	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40041	2	WHS	0.2	59.6	15.1	0.0	0.0	0.0	0.0	0.0	5.7	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40042	1	S	0.0	59.5	15.2	0.0	0.0	0.0	0.0	0.0	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40043	1	S	0.0	58.7	14.9	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40044	1	S	0.0	60.2	14.7	0.0	0.0	0.0	0.0	0.0	1.2	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS40045	1	S	0.1	58.4	15.1	0.0	0.0	0.0	0.0	0.0	3.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40046	1	S	0.0	58.3	14.9	0.0	0.0	0.0	0.0	0.0	1.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40047	1	S	0.0	58.9	16.4	0.0	0.0	0.0	0.0	0.0	1.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40048	1	S	0.1	61.5	15.1	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40049	1	S	0.0	57.8	15.9	0.0	0.0	0.0	0.0	0.0	2.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40050	1	S	0.0	59.0	15.0	0.0	0.0	0.0	0.0	0.0	1.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40051	2	S	0.0	59.7	14.0	0.2	0.0	0.2	0.0	0.0	3.8	1.7	1.0	0.6	0.0	0.0	0.0	0.0	0.0		OK	
KS40052	2	S	0.1	58.1	14.7	0.0	0.0	0.0	0.0	0.0	4.8	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40053	2	WHS	0.1	60.7	14.0	0.0	0.0	0.0	0.0	0.0	3.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40054	1	S	0.1	60.2	14.8	0.0	0.0	0.0	0.0	0.0	2.1	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40055	2	WHS	0.0	60.4	13.4	0.0	0.0	0.0	0.0	0.0	1.8	1.6	1.2	0.4	0.0	0.0	0.0	0.0	0.0		OK	
KS40056	1	S	0.1	60.3	14.0	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40057	1	S	0.0	60.4	14.2	0.0	0.0	0.0	0.0	0.0	2.1	0.9	0.6	0.3	0.0	0.0	0.0	0.0	0.0		OK	
KS40058	2	S	0.3	61.2	14.2	0.0	0.0	0.0	0.0	0.0	3.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40059	1	S	0.0	61.9	14.0	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.		
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material	
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
KS40060	1	S	0.0	59.5	14.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS40072	2	S	0.1	61.0	14.4	0.0	0.0	0.0	0.0	0.0	4.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40073	1	S	0.0	57.8	15.9	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40074	1	S	0.0	61.3	13.9	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40075	1	S	0.1	58.8	12.6	0.0	0.0	0.0	0.0	0.0	1.9	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40076	1	S	0.0	58.1	13.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40077	2	S	0.0	60.0	14.8	0.0	0.0	0.0	0.0	0.0	3.5	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40078	1	S	0.0	61.3	13.6	0.0	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40079	1	S	0.0	58.1	14.4	0.0	0.0	0.0	0.0	0.0	1.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40080	1	S	0.0	60.8	14.5	0.0	0.0	0.0	0.0	0.0	1.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40081	1	S	0.2	59.6	12.7	0.0	0.0	0.0	0.0	0.0	2.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40082	1	S	0.0	61.0	14.1	0.0	0.0	0.0	0.0	0.0	1.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40083	1	WHS	0.1	59.0	13.8	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40084	1	S	0.1	60.0	14.4	0.0	0.0	0.0	0.0	0.0	2.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40086	2	WHS	0.0	56.5	14.3	0.0	0.0	0.0	0.0	0.0	2.5	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40087	2	S	0.1	59.4	15.2	0.0	0.0	0.0	0.0	0.0	3.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40088	3	S	0.5	54.9	14.8	0.0	0.0	0.0	0.0	0.0	2.6	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40089	SG	WHS	0.5	53.4	14.3	0.0	0.0	0.0	0.0	0.0	12.4	2.7	2.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0		OK	
KS40091	2	S	0.3	60.4	14.8	0.0	0.0	0.0	0.0	0.0	3.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40092	2	WHS	0.1	61.7	13.7	0.0	0.0	0.0	0.0	0.0	3.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40093	1	S	0.1	58.2	14.4	0.0	0.0	0.0	0.0	0.0	1.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40094	3	S	0.3	59.2	14.2	0.0	0.0	0.0	0.0	0.0	6.1	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40095	2	S	0.1	56.6	15.5	0.0	0.0	0.0	0.0	0.0	2.7	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40096	1	S	0.0	58.2	15.9	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40113	1	S	0.0	59.9	13.8	0.0	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40114	1	S	0.2	59.6	14.4	0.0	0.0	0.0	0.0	0.0	2.3	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40115	1	S	0.2	60.3	14.1	0.0	0.0	0.0	0.0	0.0	2.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40116	2	S	0.0	59.2	14.6	0.0	0.0	0.0	0.0	0.0	2.4	1.1	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40117	1	S	0.1	59.8	14.4	0.0	0.0	0.0	0.0	0.0	2.3	0.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40118	1	S	0.1	60.0	14.5	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS40119	1	S	0.0	61.5	14.9	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.2	0.0	0.6	0.0	0.0	0.0	0.0	0.0		OK	
KS40120	2	S	0.0	60.8	14.2	0.0	0.0	0.0	0.0	0.0	2.4	1.5	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40121	1	S	0.0	59.9	14.8	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40122	1	S	0.0	60.5	15.1	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40123	1	WHS	0.0	59.7	15.1	0.0	0.0	0.0	0.0	0.0	2.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40124	3	S	0.0	62.1	15.6	0.0	0.0	0.0	0.0	0.0	6.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40125	1	S	0.0	59.6	15.2	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40126	1	S	0.0	60.6	14.4	0.0	0.0	0.0	0.0	0.0	1.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40127	1	S	0.0	59.5	15.6	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40128	1	S	0.1	59.4	14.2	0.0	0.0	0.0	0.0	0.0	3.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40129	1	S	0.0	60.1	15.7	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40130	2	S	0.0	56.4	15.7	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40131	3	S	0.0	57.5	15.9	0.0	0.0	0.0	0.0	0.0	2.5	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40132	1	S	0.1	60.0	15.5	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40133	1	S	0.0	59.7	17.1	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	



Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
KS40134	3	S	0.0	54.6	16.7	0.0	0.0	0.0	0.0	0.0	2.7	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS40135	2	WHS	0.1	55.9	14.9	0.0	0.0	0.0	0.0	0.0	3.5	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS50001	1	S	0.0	57.9	13.9	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50002	2	S	0.1	57.9	14.0	0.0	0.0	0.0	0.0	0.0	4.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50003	1	S	0.0	59.1	14.3	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50004	1	S	0.0	60.2	13.4	0.0	0.0	0.0	0.0	0.0	1.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50005	2	S	0.1	59.2	16.4	0.0	0.0	0.0	0.0	0.0	3.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50006	1	S	0.1	60.0	13.5	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50007	1	S	0.1	60.4	14.1	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50008	1	S	0.0	59.9	13.3	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50009	2	S	0.1	58.5	13.1	0.0	0.0	0.0	0.0	0.0	3.3	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50010	1	S	0.0	59.9	13.6	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50011	1	S	0.0	59.6	13.8	0.0	0.0	0.0	0.0	0.0	2.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50012	1	S	0.0	59.4	16.1	0.0	0.0	0.0	0.0	0.0	0.8	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50013	1	S	0.0	58.7	14.3	0.0	0.0	0.0	0.0	0.0	2.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50014	1	S	0.0	62.6	15.8	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50015	1	S	0.0	60.8	15.0	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50016	1	S	0.0	60.2	16.5	0.0	0.0	0.0	0.0	0.0	1.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50017	1	S	0.1	59.6	15.6	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50018	3	S	0.3	60.2	16.1	0.0	0.0	0.0	0.0	0.0	6.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50019	2	WHS	0.0	61.6	15.2	0.0	0.0	0.0	0.0	0.0	3.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50020	1	S	0.1	61.4	15.9	0.0	0.0	0.0	0.0	0.0	2.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50021	1	S	0.1	59.0	14.1	0.0	0.0	0.0	0.0	0.0	2.3	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0		OK	
KS50022	1	S	0.0	61.9	15.1	0.0	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50023	1	S	0.0	59.6	14.1	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50024	1	S	0.1	58.9	16.1	0.0	0.0	0.0	0.0	0.0	2.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50025	1	S	0.3	58.3	15.9	0.0	0.0	0.0	0.0	0.0	3.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50026	4	S	0.2	59.8	14.8	0.0	0.0	0.0	0.0	0.0	8.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50032	1	S	0.0	59.8	15.2	0.0	0.0	0.0	0.0	0.0	2.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50033	2	S	0.0	59.2	16.7	0.0	0.0	0.0	0.0	0.0	2.9	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50034	1	S	0.0	61.1	16.0	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50035	2	WHS	0.2	58.8	13.4	0.0	0.0	0.0	0.0	0.0	2.6	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50037	2	S	0.0	55.3	17.6	0.0	0.0	0.0	0.0	0.0	4.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50038	2	S	0.1	61.3	14.5	0.0	0.0	0.0	0.0	0.0	3.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50040	1	S	0.1	60.0	14.5	0.0	0.0	0.0	0.0	0.0	2.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50051	1	S	0.1	60.8	16.9	0.0	0.0	0.0	0.0	0.0	2.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50052	1	S	0.1	60.2	16.3	0.0	0.0	0.0	0.0	0.0	2.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50053	1	S	0.1	58.1	16.8	0.0	0.0	0.0	0.0	0.0	2.7	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50054	1	S	0.0	58.1	17.4	0.0	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50055	1	WHS	0.0	60.6	15.7	0.0	0.0	0.0	0.0	0.0	1.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50056	1	S	0.0	57.6	16.9	0.0	0.0	0.0	0.0	0.0	1.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50057	2	S	0.0	55.4	16.4	0.0	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50058	2	S	0.1	58.9	15.7	0.0	0.0	0.0	0.0	0.0	3.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50059	1	S	0.0	58.7	15.5	0.0	0.0	0.0	0.0	0.0	2.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50060	2	S	0.6	60.5	15.9	0.0	0.0	0.0	0.0	0.0	3.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
KS50061	1	WHS	0.1	59.2	17.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50062	1	S	0.1	61.0	16.2	0.0	0.0	0.0	0.0	0.0	1.9	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50063	1	S	0.1	61.1	16.0	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.4	0.0	0.3	0.0	0.0	0.0	0.0		OK	
KS50064	1	WHS	0.1	60.4	16.6	0.0	0.0	0.0	0.0	0.0	2.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50065	1	S	0.0	61.6	15.0	0.0	0.0	0.0	0.0	0.0	3.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50066	1	S	0.0	61.3	16.7	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50067	2	S	0.0	62.0	16.5	0.0	0.0	0.0	0.0	0.0	3.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50068	1	S	0.0	61.3	16.2	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50069	1	S	0.0	61.1	16.2	0.0	0.0	0.0	0.0	0.0	1.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50070	1	S	0.0	60.8	15.8	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50072	1	S	0.0	58.8	14.8	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50073	1	S	0.0	60.3	15.0	0.0	0.0	0.0	0.0	0.0	2.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50074	2	S	0.1	56.2	16.3	0.0	0.0	0.0	0.0	0.0	4.6	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50075	2	S	0.0	59.0	15.8	0.0	0.0	0.0	0.0	0.0	1.8	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50076	3	S	0.0	54.6	16.0	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50077	1	S	0.0	59.9	15.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50078	1	S	0.0	59.7	14.5	0.0	0.0	0.0	0.0	0.0	1.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50080	2	S	0.0	58.2	15.1	0.0	0.0	0.0	0.0	0.0	1.5	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50081	1	S	0.0	60.2	14.9	0.0	0.0	0.0	0.0	0.0	1.1	0.8	0.7	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS50082	2	S	0.3	60.1	15.9	0.0	0.0	0.0	0.0	0.0	1.8	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50083	1	S	0.4	60.4	16.2	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50084	1	S	0.0	60.8	17.6	0.0	0.0	0.0	0.0	0.0	2.3	0.7	0.3	0.0	0.4	0.0	0.0	0.0	0.0		OK	
KS50085	1	S	0.0	61.7	17.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS50086	2	S	0.2	56.7	15.9	0.0	0.0	0.0	0.0	0.0	2.4	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50087	1	S	0.0	60.9	14.3	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50088	2	S	0.1	59.6	15.6	0.0	0.0	0.0	0.0	0.0	4.3	1.3	1.0	0.0	0.3	0.0	0.0	0.0	0.0		OK	
KS50089	2	S	0.2	59.7	15.5	0.0	0.0	0.0	0.0	0.0	4.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS50090	1	S	0.1	60.7	15.2	0.0	0.0	0.0	0.0	0.0	2.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60037	1	S	0.0	60.8	14.6	0.0	0.0	0.0	0.0	0.0	1.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60038	1	S	0.0	60.0	15.6	0.0	0.0	0.0	0.0	0.0	2.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60039	1	S	0.0	58.6	17.1	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60040	2	S	0.0	59.7	13.8	0.0	0.0	0.0	0.0	0.0	3.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60041	1	S	0.0	59.0	16.3	0.0	0.0	0.0	0.0	0.0	1.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60042	1	S	0.0	60.0	14.8	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0		OK	
KS60043	1	S	0.0	59.5	16.7	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60044	1	S	0.0	59.7	15.9	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60047	2	S	0.0	58.3	12.8	0.0	0.0	0.0	0.0	0.0	1.9	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60048	1	S	0.0	57.6	13.5	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60049	1	S	0.1	57.6	11.5	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60050	1	S	0.1	60.7	13.1	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60051	2	S	0.8	60.0	13.9	0.0	0.0	0.0	0.0	0.0	4.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60052	1	S	0.0	59.4	13.7	0.0	0.0	0.0	0.0	0.0	1.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60053	1	S	0.1	58.9	13.9	0.0	0.0	0.0	0.0	0.0	1.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60054	1	S	0.7	59.6	14.0	0.0	0.0	0.0	0.0	0.0	1.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
KS60055	4	S	1.3	60.9	13.9	0.0	0.0	0.0	0.0	0.0	8.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material					
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
KS60056	1	S	0.1	61.2	13.5	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60057	1	S	0.0	60.1	14.1	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60058	1	S	0.5	59.8	14.1	0.0	0.0	0.0	0.0	0.0	1.9	0.9	0.6	0.0	0.1	0.2	0.0	0.0	0.0		OK		
KS60059	2	S	1.1	59.8	14.2	0.0	0.0	0.0	0.0	0.0	3.1	1.1	0.5	0.0	0.1	0.5	0.0	0.0	0.0		OK		
KS60060	1	S	0.4	59.5	14.1	0.0	0.0	0.0	0.0	0.0	2.7	0.9	0.4	0.1	0.2	0.2	0.0	0.0	0.0		OK		
KS60061	1	S	0.6	59.7	14.0	0.0	0.0	0.0	0.0	0.0	2.5	0.9	0.4	0.1	0.2	0.2	0.0	0.0	0.0		OK		
KS60062	1	S	0.1	59.5	13.9	0.0	0.0	0.0	0.0	0.0	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60063	1	S	0.3	59.7	14.0	0.0	0.0	0.0	0.0	0.0	2.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60064	2	S	0.1	59.1	13.7	0.0	0.0	0.0	0.0	0.0	1.7	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60065	2	S	0.0	60.1	17.7	0.0	0.0	0.0	0.0	0.0	3.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60066	1	S	0.0	59.8	14.6	0.0	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60067	2	S	0.0	58.7	16.7	0.0	0.0	0.0	0.0	0.0	1.8	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60068	2	S	0.1	55.3	13.5	0.0	0.0	0.0	0.0	0.0	2.5	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60069	2	S	0.4	58.8	16.0	0.0	0.0	0.0	0.0	0.0	5.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60070	2	S	0.2	59.3	15.2	0.0	0.0	0.0	0.0	0.0	4.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60071	2	S	0.2	60.1	15.7	0.0	0.0	0.0	0.0	0.0	3.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60072	1	S	0.0	61.0	15.0	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60073	3	S	0.1	59.6	15.4	0.6	0.0	0.0	0.0	0.0	7.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60074	2	S	0.0	55.0	18.1	0.0	0.0	0.0	0.0	0.0	2.4	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60075	1	S	0.1	58.7	15.5	0.0	0.0	0.0	0.0	0.0	1.9	0.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0		OK		
KS60076	1	S	0.0	61.2	15.9	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60077	1	S	0.0	60.3	14.7	0.0	0.0	0.0	0.0	0.0	2.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60078	1	S	0.0	59.5	13.6	0.0	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60079	1	S	0.1	59.8	13.3	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.3	0.4	0.0	0.0	0.0	0.0	0.0		OK		
KS60080	1	S	0.0	59.2	13.0	0.0	0.0	0.0	0.0	0.0	2.0	1.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0		OK		
KS60081	1	S	0.1	59.6	14.1	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60082	1	S	0.0	61.4	16.3	0.0	0.0	0.0	0.0	0.0	1.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60083	2	S	0.3	60.1	14.3	0.0	0.0	0.0	0.0	0.0	4.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS60084	2	S	0.1	59.6	14.0	0.0	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS70001	1	WHS	0.1	59.7	14.3	0.0	0.0	0.0	0.0	0.0	1.3	0.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0		OK		
KS70002	3	WHS	0.1	59.4	14.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0		OK	Distinctly Discolored	
KS70003	3	S	0.2	55.3	13.3	0.0	0.0	0.0	0.0	0.0	6.4	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0		OK		
KS70004	4	S	0.0	53.7	14.1	2.0	0.0	0.0	0.0	0.0	6.0	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70005	2	S	0.0	57.0	15.1	0.1	0.0	0.0	0.0	0.0	5.1	1.2	1.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70006	2	WHS	0.1	58.5	17.1	0.0	0.0	0.0	0.0	0.0	3.7	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70007	2	S	0.1	60.7	14.9	0.0	0.0	0.0	0.0	0.0	4.0	0.9	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70008	1	S	0.0	60.5	14.1	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70009	1	S	0.0	61.0	15.4	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70010	1	S	0.0	61.4	14.4	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70011	1	S	0.0	61.6	14.1	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70012	1	S	0.0	61.7	14.2	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70013	1	S	0.0	61.4	13.8	0.0	0.0	0.0	0.0	0.0	0.9	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70014	1	S	0.0	59.8	13.3	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS70015	2	S	0.1	60.6	13.4	0.0	0.0	0.0	0.0	0.0	4.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
KS80071	1	WHS	0.0	58.8	15.4	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material					
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
KS90001	2	S	0.3	58.1	14.1	2.2	0.0	0.0	0.0	0.0	3.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90002	3	S	0.2	54.6	13.6	1.4	0.0	0.0	0.0	0.0	3.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90003	2	S	0.0	57.5	15.1	0.0	0.0	0.0	0.0	0.0	2.6	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90004	1	S	0.1	59.9	14.0	0.0	0.0	0.0	0.0	0.0	2.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90005	1	S	0.0	59.9	15.4	0.0	0.0	0.0	0.0	0.0	1.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90006	1	S	0.0	59.5	15.8	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90007	3	S	0.1	58.5	14.7	0.5	0.0	0.0	0.0	0.0	7.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90008	SG	S	0.0	57.8	14.6	1.1	0.0	0.0	0.0	0.0	11.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90009	3	S	0.0	58.2	15.9	0.0	0.0	0.0	0.0	0.0	6.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90011	1	S	0.3	59.4	14.1	0.0	0.0	0.0	0.0	0.0	2.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90012	1	S	0.0	60.2	16.6	0.0	0.0	0.0	0.0	0.0	1.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90013	1	S	0.1	59.8	16.2	0.0	0.0	0.0	0.0	0.0	1.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90014	1	S	0.0	60.5	15.4	0.0	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90015	1	S	0.2	59.3	14.0	0.0	0.0	0.0	0.0	0.0	2.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90016	1	S	0.1	60.9	17.3	0.0	0.0	0.0	0.0	0.0	1.9	0.9	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90017	1	S	0.0	58.5	14.2	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK		
KS90018	1	S	0.0	59.6	15.6	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA30006	1	S	0.0	59.3	18.7	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA30007	1	S	0.2	59.7	17.9	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30008	1	S	0.0	59.8	17.5	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30009	1	S	0.0	58.3	19.2	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30010	1	S	0.0	57.8	19.2	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30011	1	S	0.0	57.7	19.5	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30012	1	S	0.0	58.8	18.5	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30013	1	S	0.0	58.7	17.8	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30014	1	S	0.0	58.4	17.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA30015	1	S	0.0	58.7	18.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50001	1	S	0.2	57.8	14.0	0.7	0.0	0.0	0.0	0.0	1.1	0.8	0.5	0.2	0.1	0.0	0.0	0.0	0.0	0.0	OK		
LA50002	2	S	0.1	55.5	13.2	2.9	0.0	0.0	0.0	0.0	2.0	1.3	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	OK	2.9 Mold and Sprout	
LA50003	4	S	0.2	59.5	14.1	0.0	0.0	0.0	0.0	0.0	8.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50004	3	S	0.2	56.6	14.0	1.4	0.0	0.0	0.0	0.0	3.7	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	1.4 Mold	
LA50005	1	S	0.0	58.6	13.9	1.0	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50006	3	S	0.1	56.0	13.2	5.1	0.0	0.0	0.0	0.0	1.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	OK	
LA50007	2	S	0.1	56.6	15.4	1.0	0.0	0.0	0.0	0.0	2.2	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50008	4	S	0.3	55.8	14.4	14.7	0.0	0.0	0.0	0.0	4.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	****	OK	7.6 Internal Mold
LA50009	SG	S	0.2	54.0	12.3	23.8	0.0	0.0	0.0	0.0	3.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	OK	21.4 Sprout
LA50010	3	S	0.2	53.4	14.3	1.6	0.0	0.0	0.0	0.0	4.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	1.6 Mold	
LA50011	2	S	0.0	57.6	16.4	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50012	1	S	0.0	58.7	16.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50013	2	S	0.0	58.7	14.2	0.0	0.0	0.0	0.0	0.0	2.5	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50014	2	S	0.6	57.4	16.0	0.0	0.0	0.0	0.0	0.0	2.8	1.3	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50015	2	S	0.1	58.5	15.0	0.0	0.0	0.0	0.0	0.0	3.2	1.7	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50016	1	S	0.0	61.3	13.2	0.0	0.0	0.0	0.0	0.0	2.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50017	2	S	0.1	57.5	13.5	0.0	0.0	0.0	0.0	0.0	3.9	1.1	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50018	1	S	0.0	59.4	15.7	0.0	0.0	0.0	0.0	0.0	1.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.			
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material		
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)								
LA50019	1	S	0.0	61.1	13.5	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK			
LA50020	2	S	0.1	56.5	12.9	0.0	0.0	0.0	0.0	0.0	3.3	1.9	1.8	0.0	0.0	0.1	0.0	0.0	0.0		OK			
LA50021	1	S	0.0	59.0	13.4	0.0	0.0	0.0	0.0	0.0	2.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK			
LA50022	1	S	0.0	59.6	13.3	0.0	0.0	0.0	0.0	0.0	2.7	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
LA50023	3	S	0.0	58.1	13.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50024	2	S	0.1	55.1	12.4	0.0	0.0	0.0	0.0	0.0	2.6	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50025	2	S	0.1	59.6	13.1	0.0	0.0	0.0	0.0	0.0	2.8	1.1	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50026	2	S	0.5	59.6	13.2	0.0	0.0	0.0	0.0	0.0	3.1	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50027	2	S	0.0	59.2	14.4	0.0	0.0	0.0	0.0	0.0	5.7	1.7	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50028	2	S	0.0	59.5	14.7	0.0	0.0	0.0	0.0	0.0	3.1	1.2	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50029	2	S	0.1	59.9	14.5	0.0	0.0	0.0	0.0	0.0	4.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50030	1	S	0.0	61.3	13.9	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50031	1	S	0.1	61.2	13.7	0.0	0.0	0.0	0.0	0.0	2.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50032	1	S	0.1	60.1	13.9	0.0	0.0	0.0	0.0	0.0	2.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50033	1	S	0.1	60.0	13.7	0.0	0.0	0.0	0.0	0.0	2.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50034	1	S	0.0	62.0	15.3	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50035	1	S	0.0	61.5	14.2	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50036	1	S	0.0	59.8	14.8	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50037	1	S	0.0	59.8	15.1	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50038	1	S	0.0	60.5	14.8	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50039	1	S	0.0	58.3	16.7	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA50040	1	S	0.1	59.6	14.5	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA80001	1	S	0.0	58.3	12.5	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA80002	1	S	0.0	61.2	13.7	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
LA80003	1	S	0.0	60.1	13.5	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
MO20001	4	S	0.1	55.5	15.9	0.0	0.0	0.0	0.0	0.0	6.0	3.3	2.9	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
MO20002	2	S	0.1	57.3	15.6	0.0	0.0	0.0	0.0	0.0	4.3	2.0	1.5	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
MO70001	1	WHS	0.0	60.1	15.4	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
MO70003	2	S	0.1	60.0	16.0	0.0	0.0	0.0	0.0	0.0	4.2	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE50001	3	S	0.1	53.6	16.5	0.0	0.0	0.0	0.0	0.0	3.2	2.8	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE50002	3	S	0.1	54.3	17.0	0.0	0.0	0.0	0.0	0.0	1.9	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE50003	3	S	0.0	54.3	17.8	0.0	0.0	0.0	0.0	0.0	2.0	1.7	1.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE50004	3	S	0.1	53.6	18.6	0.0	0.0	0.0	0.0	0.0	2.5	2.1	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70001	1	S	0.1	58.5	15.3	0.0	0.0	0.0	0.0	0.0	3.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70002	1	S	0.0	58.1	15.0	0.0	0.0	0.0	0.0	0.0	2.3	0.8	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70003	3	S	0.0	56.1	15.1	0.0	0.0	0.0	0.0	0.0	6.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70004	1	S	0.0	58.3	14.4	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70005	1	S	0.1	59.2	15.5	0.0	0.0	0.0	0.0	0.0	2.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70006	1	S	0.0	59.4	14.6	0.0	0.0	0.0	0.0	0.0	2.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70007	1	S	0.0	58.5	15.8	0.0	0.0	0.0	0.0	0.0	1.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70008	1	S	0.0	59.1	16.0	0.0	0.0	0.0	0.0	0.0	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70009	2	S	0.0	56.8	14.7	0.0	0.0	0.0	0.0	0.0	2.5	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70011	2	S	0.0	59.4	13.4	0.0	0.0	0.0	0.0	0.0	3.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70012	1	WHS	0.0	60.6	13.5	0.0	0.0	0.0	0.0	0.0	1.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NE70014	1	S	0.0	57.3	15.1	0.0	0.0	0.0	0.0	0.0	1.5	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
NE70015	2	S	0.1	55.8	15.0	0.0	0.0	0.0	0.0	0.0	1.7	1.1	0.5	0.6	0.0	0.0	0.0	0.0	0.0		OK	
NE70016	2	S	0.0	57.1	15.0	0.0	0.0	0.0	0.0	0.0	3.3	1.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0		OK	
NE90001	1	WHS	0.0	60.9	14.8	0.0	0.0	0.0	0.0	0.0	2.6	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0		OK	
NE90002	2	S	0.0	58.6	16.1	0.0	0.0	0.0	0.0	0.0	1.7	1.1	0.7	0.2	0.2	0.0	0.0	0.0	0.0		OK	
NE90003	1	WHS	0.0	60.9	15.0	0.0	0.0	0.0	0.0	0.0	3.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NE90004	1	S	0.0	58.7	15.4	0.0	0.0	0.0	0.0	0.0	1.3	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0		OK	
NE90005	2	S	0.0	58.5	17.9	0.0	0.0	0.0	0.0	0.0	1.4	1.1	1.0	0.0	0.1	0.0	0.0	0.0	0.0		OK	
NE90006	2	S	0.1	56.7	15.7	0.0	0.0	0.0	0.0	0.0	5.0	1.3	1.0	0.3	0.0	0.0	0.0	0.0	0.0		OK	
NE90007	2	S	0.0	57.7	15.3	0.0	0.0	0.0	0.0	0.0	5.0	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
NE90008	2	S	0.1	56.4	15.1	0.0	0.0	0.0	0.0	0.0	4.7	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NE90015	1	S	0.0	59.2	14.5	0.0	0.0	0.0	0.0	0.0	1.9	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0		OK	
NE90016	1	S	0.0	60.2	13.6	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.3	0.4	0.0	0.0	0.0	0.0	0.0		OK	
NE90017	1	S	0.0	57.8	15.6	0.0	0.0	0.0	0.0	0.0	1.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NE90018	1	S	0.0	58.7	14.5	0.0	0.0	0.0	0.0	0.0	1.8	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0		OK	
NE90019	2	S	0.1	57.8	14.6	0.0	0.0	0.0	0.0	0.0	2.8	1.4	0.7	0.4	0.3	0.0	0.0	0.0	0.0		OK	
NE90022	1	S	0.0	58.0	15.6	0.0	0.0	0.0	0.0	0.0	2.8	0.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0		OK	
NE90023	2	S	0.0	56.9	15.2	0.0	0.0	0.0	0.0	0.0	1.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NE90024	1	S	0.0	60.4	15.2	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NM30001	2	S	0.0	59.9	11.0	0.0	0.0	0.0	0.0	0.0	3.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NM30002	2	S	0.0	55.7	10.9	0.0	0.0	0.0	0.0	0.0	2.9	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NM30003	2	S	0.0	56.9	11.0	0.0	0.0	0.0	0.0	0.0	1.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
NM30004	2	S	0.0	58.7	11.5	0.0	0.0	0.0	0.0	0.0	3.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10001	SG	WHS	0.2	46.7	9.6	0.0	0.0	0.0	0.0	0.0	7.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10002	SG	WHS	0.9	54.9	11.6	0.0	0.0	0.0	0.0	0.0	11.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10003	3	WHS	0.1	53.4	11.2	0.0	0.0	0.0	0.0	0.0	4.9	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10004	SG	WHS	0.5	54.4	11.5	0.0	0.0	0.0	0.0	0.0	10.3	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10005	SG	WHS	0.6	55.7	11.6	0.0	0.0	0.0	0.0	0.0	11.1	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10006	1	WHS	0.1	57.1	11.0	0.0	0.0	0.0	0.0	0.0	2.9	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10007	1	WHS	0.0	57.4	11.2	0.0	0.0	0.0	0.0	0.0	2.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10008	SG	WHS	0.8	57.2	11.9	0.0	0.0	0.0	0.0	0.0	15.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10009	3	WHS	0.1	54.1	11.4	0.0	0.0	0.0	0.0	0.0	4.0	1.1	0.3	0.0	0.0	0.8	0.0	0.0	0.0		OK	
OK10010	SG	WHS	0.1	50.0	9.4	0.0	0.0	0.0	0.0	0.0	5.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10011	SG	S	0.9	49.5	13.4	0.0	0.0	0.0	0.0	0.0	3.4	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10012	2	S	0.5	55.9	12.9	0.0	0.0	0.0	0.0	0.0	2.1	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10013	SG	WHS	0.1	44.1	12.9	0.0	0.0	0.0	0.0	0.0	3.8	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10014	SG	S	0.1	50.2	11.5	0.0	0.0	0.0	0.0	0.0	2.7	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10015	SG	S	0.1	48.6	13.5	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10016	3	S	0.1	54.2	13.9	0.0	0.0	0.0	0.0	0.0	3.5	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10017	3	S	0.1	54.0	14.2	0.0	0.0	0.0	0.0	0.0	5.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK10018	3	S	0.0	54.4	14.3	0.0	0.0	0.0	0.0	0.0	2.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK20001	3	S	0.0	54.0	11.1	0.0	0.0	0.0	0.0	0.0	1.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK20002	2	S	0.1	56.0	14.2	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK20003	2	S	0.1	56.3	13.3	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK40001	2	S	0.1	58.3	12.0	0.0	0.0	0.0	0.0	0.0	3.4	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0		OK	
OK40002	2	S	0.2	61.1	14.4	0.0	0.0	0.0	0.0	0.0	3.9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
OK40003	2	S	0.3	58.0	12.2	0.0	0.0	0.0	0.0	0.0	4.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK40004	2	S	0.5	57.9	12.3	0.0	0.0	0.0	0.0	0.0	4.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK40005	2	S	0.6	58.3	12.8	0.0	0.0	0.0	0.0	0.0	3.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK40006	2	S	0.1	57.8	13.4	1.3	0.0	0.0	0.0	0.0	3.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
OK40007	1	S	0.0	58.1	13.8	0.0	0.0	0.0	0.0	0.0	2.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
SD50001	2	S	0.2	56.0	18.2	0.0	0.0	0.0	0.0	0.0	5.1	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
SD50002	2	S	0.0	55.4	15.9	0.0	0.0	0.0	0.0	0.0	1.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
SD50003	3	S	0.1	54.5	16.7	0.0	0.0	0.0	0.0	0.0	2.0	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
SD50005	3	S	0.2	53.3	19.4	0.0	0.0	0.0	0.0	0.0	1.5	1.0	0.9	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX11041	1	S	0.0	60.3	13.3	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0		OK	
TX11042	1	S	0.0	60.1	13.1	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX11043	1	S	0.0	60.3	12.8	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.2	0.4	0.0	0.0	0.0	0.0	0.0		OK	
TX11044	1	S	0.0	62.4	13.5	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0		OK	
TX11045	3	S	0.0	54.8	14.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11046	1	S	0.0	58.6	13.6	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0		OK	
TX11047	1	S	0.0	58.5	13.5	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11048	1	S	0.0	60.1	13.9	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11049	2	WHS	0.0	56.1	13.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11050	1	S	0.0	59.9	13.4	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11051	1	S	0.1	58.2	14.7	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11052	2	S	0.2	56.3	16.3	0.0	0.0	0.0	0.0	0.0	1.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11053	4	S	0.3	54.4	13.2	0.0	0.0	0.0	0.0	0.0	8.1	2.4	1.7	0.7	0.0	0.0	0.0	0.0	0.0		OK	
TX11054	2	S	0.2	57.1	14.9	0.0	0.0	0.0	0.0	0.0	2.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11055	2	S	0.1	59.0	14.5	0.0	0.0	0.0	0.0	0.0	2.2	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11056	1	S	0.0	59.6	15.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX11057	2	S	0.1	55.9	16.1	0.0	0.0	0.0	0.0	0.0	3.1	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11058	1	WHS	0.0	59.5	14.8	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX11059	2	S	0.1	56.4	14.5	0.0	0.0	0.0	0.0	0.0	3.5	2.0	1.6	0.4	0.0	0.0	0.0	0.0	0.0		OK	
TX11060	1	WHS	0.0	61.0	14.7	0.0	0.0	0.0	0.0	0.0	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12011	1	S	0.4	60.0	14.7	0.0	0.0	0.0	0.0	0.0	2.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12012	1	S	0.8	61.3	14.9	0.0	0.0	0.0	0.0	0.0	2.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12013	2	S	0.3	59.8	14.6	0.0	0.0	0.0	0.0	0.0	4.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12014	1	S	0.1	61.3	14.4	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12015	1	S	0.1	60.3	13.2	0.0	0.0	0.0	0.0	0.0	2.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12016	1	S	0.0	61.0	14.1	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12017	1	S	0.1	61.3	13.7	0.0	0.0	0.0	0.0	0.0	2.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX12018	1	S	0.0	59.3	13.9	0.0	0.0	0.0	0.0	0.0	2.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX22001	1	S	0.0	59.5	12.7	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX22002	2	S	0.0	55.8	13.4	0.0	0.0	0.0	0.0	0.0	4.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX22003	2	S	0.0	56.3	11.9	0.0	0.0	0.0	0.0	0.0	5.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX40011	2	S	0.2	59.8	11.8	0.0	0.0	0.0	0.0	0.0	3.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX40012	1	S	0.0	59.3	14.5	0.0	0.0	0.0	0.0	0.0	1.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		0.0	OK
TX40013	1	S	0.0	60.4	15.4	0.0	0.0	0.0	0.0	0.0	2.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		0.0	OK
TX40014	1	S	0.0	58.9	14.7	0.0	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		0.0	OK
TX40015	2	S	0.1	60.2	13.5	0.0	0.0	0.0	0.0	0.0	5.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		0.0	OK

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material					
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
TX40016	2	S	0.0	58.6	13.4	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK		
TX40017	1	S	0.0	57.7	14.9	0.0	0.0	0.0	0.0	0.0	1.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40018	1	S	0.0	60.3	13.4	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40019	3	S	0.0	59.7	12.1	0.0	0.0	0.0	0.0	0.0	6.9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40020	2	S	0.1	56.7	17.6	0.0	0.0	0.0	0.0	0.0	2.9	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40021	2	S	0.0	59.0	10.9	0.0	0.0	0.0	0.0	0.0	3.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40022	2	S	0.1	59.4	11.0	0.0	0.0	0.0	0.0	0.0	5.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40023	2	S	0.3	59.3	11.1	0.0	0.0	0.0	0.0	0.0	4.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40024	2	S	0.2	59.4	11.1	0.0	0.0	0.0	0.0	0.0	4.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40025	2	S	0.2	59.4	11.5	0.0	0.0	0.0	0.0	0.0	4.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40026	2	S	0.1	59.9	11.4	0.0	0.0	0.0	0.0	0.0	3.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40027	2	S	0.0	59.5	11.1	0.0	0.0	0.0	0.0	0.0	3.9	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40028	1	S	0.0	61.1	11.9	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40029	1	S	0.0	59.9	12.7	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
TX40030	1	S	0.0	60.9	11.8	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40031	2	S	0.0	56.5	11.8	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40032	X	S	0.0	X	9.7	0.0	0.0	0.0	0.0	0.0	4.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40033	1	S	0.0	61.0	12.7	0.0	0.0	0.0	0.0	0.0	2.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40034	2	S	0.1	57.0	11.7	0.0	0.0	0.0	0.0	0.0	5.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40035	3	S	2.3	58.7	12.0	0.0	0.0	0.0	0.0	0.0	7.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40036	1	S	0.0	60.7	13.2	0.0	0.0	0.0	0.0	0.0	2.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40037	1	S	0.0	61.0	13.6	0.0	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40038	2	S	0.2	58.2	14.0	0.0	0.0	0.0	0.0	0.0	3.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40039	1	S	0.1	57.0	12.7	0.0	0.0	0.0	0.0	0.0	2.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX40040	1	S	0.0	60.8	14.7	0.0	0.0	0.0	0.0	0.0	2.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX51001	1	S	0.1	57.8	14.8	0.2	0.0	0.0	0.0	0.0	2.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX51002	2	S	0.0	57.6	14.8	0.4	0.0	0.0	0.0	0.0	3.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81001	1	S	0.1	59.1	14.8	0.3	0.0	0.0	0.0	0.0	2.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81002	2	S	0.1	59.5	14.5	0.3	0.0	0.0	0.0	0.0	3.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81003	1	S	0.0	59.3	14.0	0.9	0.0	0.0	0.0	0.0	2.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81004	1	S	0.0	58.9	14.0	0.6	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81005	2	S	0.0	57.1	14.6	0.7	0.0	0.0	0.0	0.0	4.0	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81006	2	S	0.0	56.7	19.9	0.3	0.0	0.0	0.0	0.0	3.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81007	2	S	0.1	59.0	12.9	0.4	0.0	0.0	0.0	0.0	3.6	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81008	1	S	0.3	59.9	12.9	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81009	1	S	0.0	59.1	14.6	0.5	0.0	0.0	0.0	0.0	0.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX81010	2	S	0.0	58.4	13.2	0.6	0.0	0.0	0.0	0.0	3.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82001	1	S	0.0	59.2	14.1	0.5	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82002	2	S	0.0	58.4	15.0	0.6	0.0	0.0	0.0	0.0	3.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82003	1	S	0.0	59.7	14.4	0.4	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82004	2	S	0.1	57.0	16.1	0.7	0.0	0.0	0.0	0.0	2.0	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82005	1	S	0.0	59.6	14.6	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82006	2	S	0.3	56.8	16.9	0.0	0.0	0.0	0.0	0.0	1.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82007	1	S	0.0	60.2	15.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
TX82008	1	S	0.0	59.5	15.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	



Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --							Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds					Other Material
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
TX82009	1	S	0.0	60.0	15.9	0.4	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82010	2	S	0.0	59.4	15.5	0.4	0.0	0.0	0.0	0.0	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82021	1	S	0.0	59.7	12.8	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82022	1	S	0.0	57.6	13.0	0.0	0.0	0.0	0.0	0.0	1.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82023	1	S	0.0	60.1	14.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82024	2	S	0.0	56.8	13.1	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82025	1	S	0.0	59.0	13.9	0.0	0.0	0.0	0.0	0.0	3.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82026	X	S	0.0	X	13.5	0.0	0.0	0.0	0.0	0.0	1.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82027	1	S	0.1	60.3	13.2	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82028	X	S	0.0	X	12.9	0.0	0.0	0.0	0.0	0.0	2.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82029	2	S	0.0	57.1	14.8	0.0	0.0	0.0	0.0	0.0	1.7	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82030	1	S	0.0	60.0	13.5	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82031	1	S	0.0	60.5	15.7	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82032	X	S	0.0	X	15.7	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82033	1	S	0.1	59.7	13.9	0.4	0.0	0.0	0.0	0.0	1.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82034	1	S	0.1	58.6	14.8	0.3	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82035	2	S	0.3	59.5	14.5	0.6	0.0	0.0	0.0	0.0	3.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82036	1	S	0.0	58.9	14.8	0.2	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82037	2	S	0.1	59.3	15.7	0.2	0.0	0.0	0.0	0.0	3.7	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82038	2	S	0.3	58.8	14.3	0.2	0.0	0.0	0.0	0.0	4.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82039	X	S	0.1	X	17.2	0.3	0.0	0.0	0.0	0.0	2.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82040	X	S	0.0	X	16.3	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82051	1	S	0.0	60.4	15.1	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82052	1	S	0.0	59.1	13.3	0.0	0.0	0.0	0.0	0.0	2.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82053	1	S	0.0	58.7	13.7	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82054	1	S	0.0	59.5	15.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82055	1	S	0.0	58.5	14.6	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82056	1	S	0.0	57.2	15.2	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82057	1	S	0.0	59.6	13.0	0.0	0.0	0.0	0.0	0.0	2.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82058	1	S	0.0	58.7	13.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82059	1	S	0.0	59.9	14.6	0.0	0.0	0.0	0.0	0.0	1.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX82060	1	S	0.0	59.3	12.6	0.0	0.0	0.0	0.0	0.0	2.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90001	1	S	0.0	59.3	14.4	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90002	1	S	0.0	58.8	14.1	0.7	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90003	1	S	0.0	60.2	15.8	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90004	1	S	0.0	59.2	16.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90005	2	S	0.1	61.2	15.8	0.4	0.0	0.0	0.0	0.0	4.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90006	2	S	0.0	60.9	15.1	0.0	0.0	0.0	0.0	0.0	3.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90007	1	S	0.0	58.4	15.0	0.4	0.0	0.0	0.0	0.0	2.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90008	2	S	0.0	60.8	14.8	0.0	0.0	0.0	0.0	0.0	3.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90009	1	S	0.1	61.2	15.8	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90010	2	S	0.1	59.6	14.2	0.0	0.0	0.0	0.0	0.0	3.1	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
TX90013	1	S	0.0	59.6	13.5	0.4	0.0	0.0	0.0	0.0	0.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90014	1	S	0.1	59.8	15.3	0.6	0.0	0.0	0.0	0.0	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90015	1	S	0.0	58.0	15.3	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
TX90016	1	S	0.0	59.9	15.3	0.0	0.0	0.0	0.0	0.0	2.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90017	1	S	0.0	58.7	15.0	0.3	0.0	0.0	0.0	0.0	1.1	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90018	1	S	0.0	60.1	14.7	0.4	0.0	0.0	0.0	0.0	2.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90019	1	S	0.0	58.8	14.4	0.4	0.0	0.0	0.0	0.0	1.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90020	2	S	0.0	58.0	14.2	0.5	0.0	0.0	0.0	0.0	1.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90021	1	S	0.1	60.4	17.1	0.2	0.0	0.0	0.0	0.0	1.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90022	2	S	0.0	55.9	21.0	0.1	0.0	0.0	0.0	0.0	0.8	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX90023	1	S	0.0	58.8	17.5	0.2	0.0	0.0	0.0	0.0	1.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90024	1	S	0.0	61.3	17.5	0.2	0.0	0.0	0.0	0.0	1.8	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX90025	1	S	0.0	59.5	17.1	0.1	0.0	0.0	0.0	0.0	0.8	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90026	1	S	0.0	59.4	16.7	0.2	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90027	1	S	0.0	57.7	18.7	0.0	0.0	0.0	0.0	0.0	1.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90028	1	S	0.0	59.5	17.4	0.1	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90029	1	S	0.0	61.0	15.3	0.2	0.0	0.0	0.0	0.0	0.6	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX90030	1	S	0.0	60.2	15.2	0.2	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90031	1	S	0.0	60.4	14.2	0.2	0.0	0.0	0.0	0.0	1.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90032	1	S	0.0	60.2	17.5	0.2	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90033	1	S	0.0	60.2	15.4	0.4	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90034	2	S	0.0	56.6	16.4	0.3	0.0	0.0	0.0	0.0	1.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90035	1	S	0.0	60.3	16.7	0.2	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90036	2	S	0.2	58.9	18.1	0.2	0.0	0.0	0.0	0.0	4.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90037	1	S	0.0	58.8	16.6	0.2	0.0	0.0	0.0	0.0	1.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90038	2	S	0.0	58.3	16.3	0.3	0.0	0.0	0.0	0.0	2.4	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90039	1	S	0.0	60.0	16.8	0.2	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90040	2	S	0.2	58.0	16.6	0.2	0.0	0.0	0.0	0.0	3.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90041	1	S	0.0	58.1	16.9	0.2	0.0	0.0	0.0	0.0	1.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90042	1	S	0.0	58.9	14.3	0.2	0.0	0.0	0.0	0.0	1.3	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90043	1	S	0.0	57.4	14.9	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90044	1	S	0.0	59.5	13.7	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90045	1	S	0.1	59.7	15.5	0.3	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90046	1	S	0.0	59.5	13.5	0.5	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90047	1	S	0.0	57.8	14.2	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90048	1	S	0.0	59.6	15.4	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0		OK	
TX90049	1	S	0.1	57.3	13.6	0.0	0.0	0.0	0.0	0.0	1.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX90050	1	S	0.1	58.0	13.6	0.0	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96002	1	S	0.0	59.8	14.0	0.4	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96003	1	S	0.0	57.7	13.5	0.4	0.0	0.0	0.0	0.0	1.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96004	1	S	0.0	59.3	13.2	0.3	0.0	0.0	0.0	0.0	1.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96005	2	S	0.1	57.5	13.9	0.7	0.0	0.0	0.0	0.0	4.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96006	1	S	0.0	58.2	12.9	0.6	0.0	0.0	0.0	0.0	2.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96007	2	S	0.1	58.5	14.9	0.4	0.0	0.0	0.0	0.0	3.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96008	1	S	0.2	59.4	12.8	0.2	0.0	0.0	0.0	0.0	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96010	1	S	0.0	59.2	13.2	0.7	0.0	0.0	0.0	0.0	2.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96011	1	S	0.0	59.9	16.8	0.3	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96012	1	S	0.0	59.3	16.7	0.0	0.0	0.0	0.0	0.0	2.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
TX96013	SG	S	0.0	50.9	15.9	0.6	0.0	0.0	0.0	0.0	2.8	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96014	1	S	0.0	59.4	15.3	0.0	0.0	0.0	0.0	0.0	2.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96016	1	S	0.0	59.2	17.2	0.4	0.0	0.0	0.0	0.0	1.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96017	2	S	0.1	59.7	14.7	0.8	0.0	0.0	0.0	0.0	3.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96018	1	S	0.0	57.7	15.9	0.9	0.0	0.0	0.0	0.0	1.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX96019	2	S	0.0	60.9	16.2	0.7	0.0	0.0	0.0	0.0	3.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97021	1	S	0.1	59.5	17.8	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97022	1	S	0.0	58.4	16.3	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97024	1	S	0.1	58.9	16.0	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97025	1	S	0.0	58.5	17.1	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97026	1	S	0.1	61.0	14.3	0.2	0.0	0.0	0.0	0.0	1.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
TX97027	1	S	0.1	61.3	16.5	0.2	0.0	0.0	0.0	0.0	2.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	