



Imperial Valley Black Angus G-145 Specification

1 REQUIREMENTS

Beef carcasses certified under this specification shall meet the following requirements:

- a. Phenotypic requirements of the American Angus Association's (AAA) Live Animal Specification.
- b. Classed as Steer, Heifer and Cow carcasses only;
- c. No hump exceeding 2 inches in height¹;
- d. Practically free (not detracting from visual quality) of capillary rupture in the ribeye muscle; and
- e. Free of "dark cutting" characteristics.

2 CERTIFICATION

Carcasses to be examined for compliance with this specification shall be clearly identified and presented to an AMS grader for certification. Certification procedures for identification, the removal of preliminary identification marks (or other methods of control) from non-qualifying carcasses, and control of certified carcasses shall be in accordance with established Quality Assessment Division (QAD) procedures.

3 LABELING

Labeling of products derived from certified carcasses must follow Food Safety and Inspection Service (FSIS) regulations [9 CFR part 317](#) and policy guidelines found at [FSIS: Labeling/Label Approval website](#) and [FSIS: Claims Guidance website](#) and QAD procedures including [QAD 107: Requirements for Grading Terms on Meat Product Labeling](#).

4 FEES

The costs of all grading and certification services performed by an AMS grader involving examinations, supervision, official documentation, and related services shall be borne by the person, group, or plant requesting the service.

¹ Measured from a line formed by the extension of the top line (including the fat) and measuring the lean muscle (excluding the fat) perpendicular to that line in the center of the hump.



**United States
Department of
Agriculture**

Agricultural
Marketing
Service

Livestock and Poultry Program
1400 Independence Avenue SW, Stop 0258
Washington, DC 20250

G-145 Specification
January 20, 2022
Page 2 of 2

Chad Nelson, National Meat Supervisor
Standards and Specifications Division
Livestock & Poultry Program