Animal Welfare and Beef Cattle Production Systems Checklist

	Audit the Program against the following Program requirements:
PR	OGRAM REQUIREMENTS – OIE's Terrestrial Animal Health Code, Animal Welfare and
Be	ef Cattle Production Systems

- (1) Identify animal welfare scheme program documents and sections that address each criterion.
- (2) Explanations and/or comments must be provided to provide enough evidence of conformance or non-conformance, as applicable.

Code, Animal Welfare and Beef Cattle Production Systems Criteria 1.0 Biosecurity and Animal Health 1.1 Cattle health programs SHOULD address: a. Identification of sick or injured cattle b. Appropriate cattle health monitoring c. Appropriate vaccination and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD be manimizer risk of disease. 2.3 Concrete flooring, SHOULD be manimized. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water 3.1 Cattle SHOULD be provided access to minimized.	OIE's Terrestrial Animal Health Applicant Conform Objective Evidence/Findings/						
Production Systems Criteria 1.0 Biosecurity and Animal Health 1.1 Cattle health programs SHOULD address: a. Identification of sick or injured cattle b. Appropriate cattle health monitoring c. Appropriate caccination and treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane cuthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	Code, Animal Welfare and Beef Cattle						
1.1 Cattle health programs SHOULD address: a. Identification of sick or injured cattle b. Appropriate cattle health monitoring c. Appropriate vaccination and treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane cuthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	Production Systems Criteria	Document	(1/14:)	Remarks			
a. Identification of sick or injured cattle b. Appropriate cattle health monitoring c. Appropriate cattle health monitoring c. Appropriate cattle health monitoring c. Appropriate vaccination and treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
b. Appropriate cattle health monitoring c. Appropriate vaccination and treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
c. Appropriate vaccination and treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be manintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from precadators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
treatment protocols for prevention and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
and treatment of cattle diseases d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
d. Treatment and care of chronic, injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
injured or non-ambulatory cattle e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
e. When services of a veterinarian should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	· · · · · · · · · · · · · · · · · · ·						
should be sought f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
f. Humane euthanasia plans 1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
1.2 Producers SHOULD regularly monitor morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	<u> </u>						
morbidity and mortality rates. 2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
2.0 Stocking Density, Housing, Environment and Protection 2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
2.1 Stocking density SHOULD be managed such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water		t and Protection					
such that crowding does not adversely affect the ability of cattle to lie down, rest, move freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water			Π				
freely without the risk of injuries move freely to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
to access feed and water, or socialization. 2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	the ability of cattle to lie down, rest, move						
2.2 Confined cattle SHOULD have access to proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
proper lighting and ventilation for effective heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
heat dissipation and to minimize risk of disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
disease. 2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
2.3 Concrete flooring, SHOULD be maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water	<u> </u>						
maintained to prevent injury or lameness in cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
cattle. 2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
2.4 Cattle SHOULD be protected from predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
predators. 2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
2.5 Whenever possible, exposure of cattle to sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
sudden or loud noises SHOULD be minimized. 3.0 Nutrition: Feed and Water							
minimized. 3.0 Nutrition: Feed and Water							
3.0 Nutrition: Feed and Water							
appropriate nutrition that meets their							
physiological needs based on weather, age,							
physiological status, body condition scores							

[&]quot;USDA is an equal opportunity provider, employer, and lender."



Livestock, Poultry, and Seed Program Quality Assessment Division 1400 Independence Avenue SW Washington, DC 20250 QAD 1060D Checklist February 14, 2018 Page 2 of 3

and others. Care should be taken to prevent							
digestive upset of cattle, micronutrient							
deficiencies or toxicities.							
3.2 Cattle SHOULD have access to water that							
meets their physiological requirements and							
meets water quality and safety standards.							
4.0 Management							
4.1 Producers SHOULD develop and							
document breeding programs to enhance cattle							
health and well-being.							
4.1.1 Pregnant cows and heifers SHOULD be							
managed during pregnancy so as to not							
become too fat or too thin, except in the							
presence of unavoidable environmental							
conditions.							
4.2 Beef cattle producers SHOULD document							
their weaning program including age of calves							
and weaning method implemented.							
4.3 Husbandry practices and procedures							
SHOULD be documented. Care should be							
taken to minimize pain and stress to the calf.							
These practices could include:							
a. Castration							
b. Dehorning/disbudding							
c. Ovariectomy							
d. Weaning							
4.4 Routine tail docking SHOULD not occur.							
4.5 In intensive farming systems, cattle							
SHOULD be inspected at least once a day							
4.6 Equipment for handling and restraining							
beef cattle SHOULD be maintained and used							
in a way that minimizes the risk of injury,							
pain or distress.							
4.7 Races, chutes and pens SHOULD be free							
from sharp edges and protrusions to prevent							
injury to cattle.							
4.8 Mechanical and electrical devices used in							
housing facilities SHOULD be safe for cattle.							
5.0 Personnel Training							
5.1 All people responsible for beef cattle care							
SHOULD be trained in accordance with their							
responsibilities to understand and address							
cattle husbandry, behavior, biosecurity,							
general signs of disease, indicators of poor							
animal welfare and euthanasia.							
6.0 Emergency Plans							
6.1 Where the failure of power, water and							
feed supply systems, beef producers							
SHOULD have contingency plans to cover the							
failure of these systems.							
6.2 Plans SHOULD be in place to minimize							
and mitigate the effects of conditions such as							



Livestock, Poultry, and Seed Program Quality Assessment Division 1400 Independence Avenue SW Washington, DC 20250 QAD 1060D Checklist February 14, 2018 Page 3 of 3

heat stress, cold stress, drought, blizzard, fire					
and flooding on cattle health and well-being.					
7.0 Euthanasia					
7.1 Euthanasia SHOULD be practiced to					
relieve cattle suffering.					

NOTE: When this checklist is complete, print to ADOBE and add to the audit documentation.